


63.31
Belgium
1855-1902
A-Z

BY

1897

ROYAL WARRANT
AND



ESTABLISHED

1839



UNION FA LA FORCE
UNDER ROYAL PATRONAGE



TEL. ADDRESS

HOUTTEANA, GHENT

LOUIS VAN HOUTTE PÈRE

THE ROYAL NURSERIES

GHENT, BELGIUM

GENERAL CATALOGUE

OF

Plants, Bulbs, Trees, Shrubs, etc.

TO VISITORS

Our establishment, so well known as the **LARGEST** and most **EXTENSIVE** in the world, can be reached within **ONE** hour by Rail from Antwerp, Ostende or Brussels, and no one should ever miss the opportunity of inspecting one of the largest, most varied and particularly well grown stock of plants.

SPECIAL RATES FOR FREIGHT

Having made advantageous arrangements with the various Steam Ship Companies for the transmission of goods at **SPECIAL LOW RATES**, matted Baskets or Hampers of an ordinary size, can now be sent direct from **GHENT**, to all the principal ports.

From the various ports to the final destinations, the re-expedition is made at the cheapest rate and by the shortest route.

All **GOODS** travel at « **OWNERS RISK.** »

TO LONDON including all charges, to London Railway terminus :

1	Box or Basket weighing upwards of	50	lbs.	.	.	.	.	2/6
1	—	—	—	100	»	.	.	3/6
1	—	—	—	150	»	.	.	4/6

TO GOOLE

1	Box or Basket weighing upwards of	50	lbs.	.	.	.	.	3/6
1	—	—	—	100	»	.	.	4/6
1	—	—	—	150	»	.	.	5/6

To	HULL	pr.	Basket of ordinary size	.	.	.	.	4/0
»	LEITH	—	—	.	.	.	.	5/0
»	LIVERPOOL	—	(under 5 ft. in height)	.	.	.	.	5/0
»	MANCHESTER	—	ordinary size	.	.	.	.	6/0
»	BELFAST	—	—	.	.	.	.	8/6

PARCELSPOST

Small packages weighing under 3 lbs, 7 lbs and 11 lbs can be sent by **PARCEL POST** at the rate of 1/3, 1/8 and 2/2 respectively, **TO GREAT BRITAIN AND IRELAND.**

PACKING

The above rates do not include the cost of the materials used in packing; these are, in all instances, charged at *cost price.*

PAYMENTS

Either by Cheque or P. O.O to be made **DIRECT TO THE FIRM.**

In presenting this new Catalogue to our friends, we beg to avail ourselves of the opportunity of drawing their attention to the fact, that prices have been **CONSIDERABLY REDUCED**, without **AFFECTING THE SUPERIOR QUALITY** of our Goods.

We do not doubt, but what it will induce our customers to favor us with a continuance of their annual orders, which at all times will receive our **PROMPT** and most **CAREFUL ATTENTION**.

TUBEROUS ROOTED BEGONIAS

GOLD MEDALS awarded at Antwerp, Brussels, Bruges, Ghent, Liège, Lille, Tournai, etc.

Most of our friends will remember that many years ago we were the first who gave their special attention to this beautiful and now so popular plant, which, for size, color and substance of flowers as well as habit, has in course of time, by careful selection, judgement and hybridisation, been brought to its present perfection.

Being the pioneers of the Begonias, we have ever since made a special feature of this handsome plant, which, during its flowering season in the summer, may be seen by **hundreds of thousands**, forming one of the chief attractions of our Establishment. Thousands of visitors from all parts yearly come to witness this grand sight.

Single-flowering Begonias

in the following separate colors : crimson, orange, salmon, pink, white and yellow.

Extra fine show varieties	each	2 0	per doz.	18 0		
Fine varieties for greenhouse culture	"	"	7 0	per 100	40 0	
Extra fine bedding varieties	"	"	5 0	"	"	25 0
Fine bedding varieties	"	"	4 0	"	"	20 0

MIXTURE OF ABOVE SHADES

Extra fine for bedding	"	"	4 0	"	"	20 0
Fine	"	"	3 0	"	"	16 0

Double-flowering Begonias

in above separate colors.

Extra fine exhibition varieties	each	5 0				
Fine show varieties	"	2 0	per doz.	18 0		
Choice varieties	"	"	12 0	p. 100	60 0	
Finest mixture	"	"	7 0	"	"	40 0

GREENHOUSE BEGONIAS (Herbaceous)

		Each—s. d.			Each—s. d.
189	hybrida multiflora	0 10	1295	Louise Closon	0 10
341	Otto Forster	1 8	1296	Président de Bourreuille	1 8
486	corallina	0 10	1298	Mad. Hardy	1 8
830	metallica	0 8	1346	Lubbersi	0 10
831	" fol. var. (<i>Madem. Kraus</i>)	1 8	1423	Pictavensis	1 8
933	Gogoensis	1 8	1424	argenteo-guttata	1 8
952	Olbia	1 8	1476	Gloire de Lorraine	1 8
1442	semperflorens atropurpurea (<i>Ver-</i>		1477	decora	2 6
	<i>non</i>	0 6	1484	FAUREANA <i>See New and Rare plants.</i>	
	Per dozen	4 0	1485	" ARGENTEA " " "	
1631	albo picta	0 10	1486	" METALLICA " " "	
1166	Wettsteini	0 10	1487	L'ABBÉ JOS. KIMUS " " "	
1196	Gloire de Sceaux	1 8	1488	RAJAH " " "	

12 varieties, our choice . . . 12/0.

GLOXINIAS

HYBRIDA ERECTA and CRASSIFOLIA GRANDIFLORA

Containing all the best selfcolors, violet, blush, white, rose, cerise, crimson, etc., as also the finest edged and tipped varieties, together with the most handsomely marbled and spotted kinds ever brought into commerce.

Gloxinia hybrida erecta

mostly spotted varieties, in separate colors of the following shades:
deep carmine, crimson and scarlet and deep violet

5/0 per dozen — 25/0 per 100.

Mixture of extra fine varieties . . . per doz. 4/0 per 100 20/0

Gloxinia hybrida crassifolia grandiflora

in separate colors of the following shades: pure white, red edged white,
violet edged and tipped white

5/0 per dozen — 25/0 per 100.

Mixture of extra fine varieties . . . per doz. 4/0 per 100 20/0

Exhibition Plants

Extra fine picked varieties, large tubers, 1/6, 2/6 and 3/6 each.

All payments to be made direct to the Firm, either by Cheque, Postal Order or Post Office Order, small amounts may be remitted in Stamps.

BULBS & FLOWERROOTS

COLLECTIONS OF BULBS

For Conservatory Decoration during winter in glasses and pots

These collections are carefully selected from choice varieties and picked bulbs.

N° I. CONTAINING 51 BULBS — 5/.

- | | |
|------------------------------|--|
| 12 Hyacinths in 6 varieties. | 15 Crocus in 3 varieties. |
| 6 White Roman Hyacinths. | 6 Polyanthus Narcissus in 6 varieties. |
| 12 Tulips in 4 varieties. | |

N° II. CONTAINING 110 BULBS — 9/.

- | | |
|-------------------------------|--|
| 25 Hyacinths in 13 varieties. | 25 Crocus in 5 varieties. |
| 6 White Roman Hyacinths. | 6 Polyanthus Narcissus in 6 varieties. |
| 36 Tulips in 12 varieties. | 12 Scilla sibirica. |

N° III. CONTAINING 163 BULBS — 15/.

- | | |
|-------------------------------|--|
| 36 Hyacinths in 12 varieties. | 40 Crocus in 8 varieties. |
| 12 White Roman Hyacinths. | 12 Polyanthus Narcissus in 12 varieties. |
| 51 Tulips in 17 varieties. | 12 Scilla sibirica. |

N° IV. CONTAINING 232 BULBS — 20/.

- | | |
|-------------------------------|--|
| 50 Hyacinths in 10 varieties. | 24 Snowdrops in 2 varieties. |
| 12 White Roman Hyacinths. | 12 Polyanthus Narcissus in 12 varieties. |
| 60 Tulips in 20 varieties. | 24 Scilla sibirica. |
| 50 Crocus in 10 varieties. | |

N° V. CONTAINING 490 BULBS — 40/.

- | | |
|--------------------------------|--|
| 100 Hyacinths in 10 varieties. | 48 Snowdrops in 2 varieties. |
| 24 White Roman Hyacinths. | 36 Jonquils in 3 varieties. |
| 102 Tulips in 34 varieties. | 40 Polyanthus Narcissus in 20 varieties. |
| 80 Crocus in 16 varieties. | 48 Scilla sibirica. |
| 12 Cyclamen in 6 varieties. | |

For Outdoor Decoration in spring

N° VI. CONTAINING 539 BULBS AND ROOTS — 20/.

- | | |
|--|--|
| 25 Hyacinths single and double, mixed. | 6 Iris Kämpferi, mixed. |
| 25 Tulips single early, mixed. | 50 Ixia, mixed. |
| 25 — double early, mixed. | 6 Lilium in 6 varieties. |
| 25 Anemones double, mixed. | 12 Narcissus single and double, mixed. |
| 25 — single, mixed. | 50 Asiatic Ranunculus, mixed. |
| 50 Crocus, mixed. | 50 Persian Ranunculus, mixed. |
| 16 Erythronium, mixed. | 50 Turban Ranunculus, mixed. |
| 50 Gladiolus nanus, mixed. | 12 Scilla sibirica. |
| 12 Iris germanica, mixed. | 50 Sparaxis, mixed. |

N° VII. CONTAINING 1145 BULBS AND ROOTS — 36/.

- | | |
|--|--|
| 50 Hyacinths single and double, mixed. | 25 Iris germanica, mixed. |
| 50 Tulips single early, mixed. | 12 — Kämpferi, mixed. |
| 50 — double early, mixed. | 100 Ixia, mixed. |
| 50 Anemones double, mixed. | 12 Lilium in 6 varieties. |
| 50 — single, mixed. | 50 Narcissus single and double, mixed. |
| 50 Babiana, mixed. | 100 Asiatic Ranunculus, mixed. |
| 12 Camassia esculenta atrocœrulea. | 100 Persian Ranunculus, mixed. |
| 100 Crocus, mixed. | 100 Turban Ranunculus, mixed. |
| 48 Erythronium, mixed. | 36 Scilla sibirica. |
| 50 Gladiolus nanus, mixed. | 100 Sparaxis, mixed. |

N^o VIII. — CONTAINING 2147 BULBS AND ROOTS — 64/.

50	Hyacinths single, mixed.	100	Gladiolus nanus, mixed.
50	— double, mixed.	25	Iris germanica, mixed.
100	Tulips single early, mixed.	12	— Kämpferi, mixed.
100	— double early, mixed.	100	Ixia, mixed.
100	— — and single, mixed.	12	Lilium in 6 varieties.
100	Anemones double, mixed.	100	Asiatic Ranunculus, mixed.
100	— single, mixed.	200	Persian Ranunculus, mixed.
100	Babiana, mixed.	200	Turban Ranunculus, mixed.
25	Camassia esculenta atrocœrulea.	100	Narcissus single and double, mixed.
300	Crocus, mixed.	100	Scilla sibirica.
100	Erythronium, mixed.	100	Sparaxis, mixed.

Smaller collections 5/0, 10/6 and 15/0.

HYACINTHS

CHOICE NAMED SINGLE-FLOWERING

The following assortments have been formed for the convenience of those who are desirous to avoid the trouble of making their own selection. For this purpose, the finest varieties have been selected from the whole collection and great care has been taken in selecting, for each assortment, the most distinct varieties.

In ordering kindly state whether required for forcing or for open ground.

Assortment	A.	100	bulbs in	25	varieties	extra fine, with names	s. d.
"		50	"	25	"	"	40 0
"		25	"	25	"	"	21 0
"		12	"	12	"	"	11 0
"		12	"	12	"	"	6 0
"	E.	100	"	25	"	"	32 0
"		50	"	25	"	"	17 0
"		25	"	25	"	"	9 0
"		12	"	12	"	"	5 0
"	C.	100	"	25	"	"	24 0
"		50	"	25	"	"	12 6
"		25	"	25	"	"	7 0
"		12	"	12	"	"	4 0

SINGLE VARIETIES MIXED WITHOUT NAMES FOR FORCING

Assortment	F.	White.	Per 12	Per 100
"	G.	Blue	s. d.	s. d.
"	H.	Yellow	2 0	12 0
"	I.	Red and Rose	2 3	13 6
"	J.	All colors and shades mixed.	2 3	13 6
"			2 0	12 0
"			1 9	11 6

SINGLE HYACINTHS IN FINE MIXTURE FOR OPEN GROUND

Assortment	FF	White.	1	9	11	6
"	GG.	Blue	2	0	12	0
"	II.	Red and Rose	1	9	10	6
"	JJ.	All colors and shades mixed.	1	9	10	6

HYACINTHS — New and scarce varieties

SINGLE-FLOWERING — Suitable for forcing

Those marked with an asterisk * are for **EARLY**-forcing

	Each—s. d.		Each—s. d.
47 *Blancheur à merveille, snow white, immense flower.	0 10	117 Etna, lively red, immense truss	1 9
67 Cardinal Wiseman, lively rose, large truss	1 3	153 *Gouden Leeuw, beautiful clear yellow	0 8
94 *Distinction, well formed spike of amaranth colored flowers	1 3	211 King of the Blacks, glossy black	1 3
		380 *King of the Yellows, large canary yellow	0 10

	Each—s. d.		Each—s. d.
232 *Leviathan, tender rose, large flowers.	0 8	309 Moreno, tender rose, extra large flower	0 10
252 *Lord Beaconsfield, porcelain blue, large spike	0 10	368 *Prince Albert Victor, fine spike of lively red flowers	0 8
238 *Lord Cairns, well made spike of large deep red flowers	0 8	376 Queen of the Blues, large light blue	0 10
241 Lord Percy, light rose, high spike	0 10	397 *Romeo, beautiful deep red	0 8
265 *Lord Mayo, purplish violet with white eye	0 8	487 Sceptre d'argent, pure white, extra fine	1 3
259 L'Ornement Rose, light rose, enormous spike	0 10	417 Schotel, light porcelain blue, enormous spike	0 10
273 Lump of Gold, large golden yellow	0 10	478 *Vuurbaak, large spike of deep red flowers.	0 10
305 *Mr. Stanley, deep red, large truss	0 8		

DOUBLE-FLOWERING

587 *Disraeli, light rose, very double	0 10	686 Jaune à cœur rose, clear yellow, beautiful	0 10
608 Edison, very large, flesh color, extra	2 6	704 *Kastanjebloem, light rose, fine pyramidal spike	1 8
650 *Grand vainqueur, beautiful, snow-white	0 8	723 La Grande Duchesse, large, flesh rose	1 3
681 *Isabella, flesh rose, enormous spike, extra	2 6	782 Maria de Medicis, large, deep red.	0 8

Above collection, 1 of each for 24/.

General choice collection of Single-flowering Hyacinths

The sorts followed by the letter « L » have invariably the largest bulbs, which however must not be taken as a criterion to produce better flowers than those marked « S », producing smaller sized bulbs.

N. B. — 25 charged at the hundred rate, 6 at doz. rate.

In ordering, it is sufficient to indicate the numbers of the varieties required.

	Each s. d.	Doz. s. d.		Each s. d.	Doz. s. d.
WHITES			338 *Pavillon blanc	0 4	3 0
25 *Alba superbissima (<i>Theba</i>).	0 3	2 6	367 *Princess Wilhelmina, blush. A Novelty	0 8	6 6
10 *Angenis Christina, pure white	0 4	3 0	378 *Queen Victoria	0 3	2 6
17 Anna, white, extra	0 10		399 *Rousseau, rosy white.	0 3	2 6
33 Baron van Tanyl	0 3	2 6	433 *Semiramis, rosy white	0 4	3 0
46 *Blanchard.	0 4	3 6	430 *Snowball	0 10	
136 *Grand vainqueur, pure white	0 4	3 6	458 Thémistocle, pure white.	0 4	3 0
139 *Grande vedette, pure white.	0 3	2 6	470 *Vesta, fleshy rose	0 3	2 6
140 *Grandeur à merveille.	0 3	2 6	466 Voltaire, rosy white	0 3	2 6
208 *Jumbo, fleshy white. A Novelty	1 3		BLUE AND PORCELAIN BLUE		
214 *Kroonprinses der Nederlanden, pure white.	0 6	4 0	11 *Argus, blue with white eye	0 4	3 0
223 *La belle blanchisseuse, pure white	0 4	3 0	38 *Benjamin Franklin, porcelain blue	0 8	6 0
228 *La candeur, pure white	0 4	3 0	73 *Blondin, light blue	0 4	3 3
237 *La franchise, rosy white	0 3	2 6	51 *Charles Dickens, violet blue	0 4	3 0
268 *La grandesse, pure white	0 6	4 0	53 *Cialdini, light blue	0 4	3 0
247 *La Pucelle d'Orléans	0 3	2 6	66 *Comble de Gloire, light blue	0 6	4 0
233 *La Vestale, snow white	0 4	3 6	59 *Conionne de Celle, light blue	0 6	4 0
236 *L'innocence, pure white A Novelty	0 6	4 0	60 *Czar Peter, porcelain blue	0 6	5 0
242 *Lord Gray, rosy white	0 4	3 6	134 *Général Pélissier, light blue	0 4	3 6
261 *Lord Plimsol, rosy white	0 6	4 0	145 *Grand lilas, porcelain blue.	0 6	5 0
277 *Mad. Vander Hoop, pure white	0 4	3 6	135 *Grand Maïthe, light blue	0 4	3 0
303 Mary of Cambridge, white	0 9	7 6	254 *La Peyroue, porcelain blue	0 4	3 3
296 *Mina, pure white	0 6	4 6	256 *Léonidas, sky blue.	0 4	3 3
286 *Mirandolina, pure white.	0 6	4 6	258 *Léopold II, pansy blue. A Novelty	0 4	3 3
290 *Mont blanc, snow white.	0 8	6 6	263 Lord Palmerston, light blue with white eye	0 4	3 6
158 *Paix de l'Europe, pure white	0 3	2 6	337 *Pauline Lucca, light blue	0 6	4 0
			387 Régulus, porcelain blue.	0 4	3 6

Each Doz.
s. d. s. d.

DARK BLUE

27	*Baron van Thuyt, deep blue	0	4	3	6
34	*Fleur mourant, deep blue	0	4	3	6
93	*David Livingstone, deep blue	0	4	3	6
125	*Farruck Khan, shiny black.	0	4	3	6
131	*Général Havelock, black.	0	6	4	0
210	*King of the blues, deep violet	0	4	3	6
225	*L'amie du Cœur, bluish violet	0	3	2	0
231	*La nuit, shiny black	0	4	3	6
269	*Lord Melville, black with white eye	0	4	3	6
300	*Marie, deep blue	0	4	3	6
271	Masterpiece, blue black.	0	10		
285	*Mimosa, deep blue.	0	4	3	0
416	*Sir Henry Barkley, black	0	6	4	0
431	*Sir John Lawrence, dark blue	0	4	3	0
459	*Uncle Tom, black	0	4	3	0
482	*Willem I, shiny black	0	4	3	6

YELLOWS

24	*Adonia, sulphur yellow.	0	4	3	0
6	Anna Carolina, light yellow	0	6	4	0
63	Fird of Paradise, pure yellow	0	10		
97	*Duc de Malakoff, orange.-S.	0	4	3	6
130	*Fleur d'or, clear yellow.-S.	0	3	2	6
121	*General Butler, deep yellow. A Novelty	0	10		
120	Général von Werder, canary yellow	0	6	4	0
170	Hermann, nankeen	0	4	3	6
171	*Héroïne, yellow.-S.	0	4	3	6
192	*Ida, pure yellow.-S.	0	6	4	0
251	Lacitronnière, lemon yellow	0	4	3	6
244	La grande jaune, nankeen yellow	0	6	4	0
250	L'or d'Australie, golden yellow	0	6	4	0
329	*Madem. Leonie Van Houtte, golden yellow	0	8	6	0
315	Obélisque, lemon yellow	0	10	8	0
344	*Pluie d'or, straw yellow.	0	4	3	0
418	Sonora, orange yellow	0	4	3	0

REDS

5	*Amy, lively carmine	0	3	2	6
61	Cosmos, dark red	0	3	2	6
84	*Dr Coindet, dark red	0	4	3	6
15	*Elise, light red.	0	4	3	0
123	*Fiancée royale, lively red	0	4	3	6
184	*Heldijk, dark red	0	4	3	0
174	*Homerus, carmine red	0	4	3	0
196	Jenny Deans, fiery red	0	4	3	0
197	*Josephine	0	4	3	0
235	*L'adorable, lively red.	0	4	3	0
260	*L'ir comparable, dark red	0	8	6	0
304	*Lord Macaulay, light red	0	4	3	6
301	*Madem. Rachel, lively red	0	4	3	0

Each Doz.
s. d. s. d.

281	*Marie Catherine.	0	3	2	6
283	Mars, lively red	0	4	3	0
287	*Mrs Beecher Stowe, dark	0	6	5	0
355	*Pelissier, lively red	0	4	3	6
362	Princesse Clothde, lively red	0	4	3	6
360	*Princess of Wales, light red	0	8	6	0
377	*Queen Victoria Alexandrina, lively red	0	3	2	6
380	*Reine des Jacinthes, very lively red	0	4	3	0
395	*Roi des Belges, lively red	0	6	4	0
429	Solfatara, red and orange	0	4	3	6
463	*Veronica, bright red.-S.	0	4	3	0
472	von Schiller, deep red	0	4	3	6

ROSE-COLOURED

32	*Baron van Thuyt, tender rose	0	4	3	0
30	*Belle Corinne, lively rose	0	4	3	0
91	Charles Dickens, light rose.	0	8	6	0
71	Cléopâtre, tender rose	0	4	3	0
92	*Delicatissima, tender rose.	0	6	4	0
124	*Ferdinand de Lesseps, light rose	0	8	6	0
126	*Florence Nightingale, light rose	0	4	3	6
129	*Gertrude, light rose	0	4	3	0
144	*Gigantea, tender rose	0	4	3	0
182	*Honneur de Leidschendam, light rose	0	4	3	0
191	*Johanna, tender rose	0	6	4	0
227	*L'amie du cœur, tender rose	0	4	3	0
255	*Le Prophète, light rose	0	4	3	0
243	*Lord Wellington, flesh rose	0	4	3	0
297	Mad. de Maintenon, lively rose	0	4	3	6
292	Mad. Hodon, rosy carmine.	0	4	3	0
324	*M. Hoboken, light rose.	0	4	3	0
317	*Norma, tender rose	0	4	3	0
349	*Princesse Charlotte, light rose	0	4	3	6
401	Rosea Maxima, light rose	0	8	6	0
432	*Sultane favorite, light rose.	0	4	3	0
453	*Tubiflora, fleshy rose.	0	4	3	0

PURPLE AND VIOLET

52	*Charles Dickens, purplish violet	0	10		
109	Haydn, light violet.	0	6	4	0
205	Jeschks, violet purple	0	4	3	6
215	*Kossuth, purplish amaranth	0	8	6	0
253	*Laura. A Novelty, purplish violet	0	8	6	0
226	*L'amie du cœur, light violet.	0	4	3	0
245	*L'unique, purple	0	6	4	0
289	*Monseigneur van Vree, varnished amaranth.—S.	0	6	4	0
419	Sir Edwin Landseer, purplish violet	0	6	4	0
425	Sir William Mansfield	0	6	4	0
457	Tollens, purplish violet	0	4	3	6

COLLECTIONS OF DOUBLE-FLOWERING HYACINTHS

						s.	d.
Assortment	L.	100 bulbs in 25 varieties extra fine, with names.				40	0
"	50	" 25	"	"	"	21	0
"	25	" 25	"	"	"	11	3
"	12	" 12	"	"	"	6	0
"	M. 100	" 25	"	"	"	32	0
"	50	" 25	"	"	"	17	0
"	25	" 25	"	"	"	9	0
"	12	" 12	"	"	"	5	0
"	N. 100	" 25	"	"	"	28	0
"	50	" 25	"	"	"	14	6
"	25	" 25	"	"	"	7	0
"	12	" 12	"	"	"	4	0

DOUBLE HYACINTHS IN VARIETY WITHOUT NAMES FOR FORCING

						Per 12	Per 100
Assortment	P.	White				2 0	12 0
"	Q.	Blue				2 0	12 0
"	R.	Red and rose				2 0	12 0
"	S.	Double, all colors and shades mixed				2 0	12 0
"	T.	Single and double, all colors and shades mixed				1 9	11 0

DOUBLE HYACINTHS IN VARIETY WITHOUT NAMES FOR OPEN GROUND

						Per 12	Per 100
Assortment	PP.	White				2 0	12 0
"	QQ	Blue				2 0	12 0
"	RR.	Red and rose				2 0	12 0
"	SS.	Double, all colors and shades				1 9	10 6
"	TT.	Single and double, all colors and shades mixed				1 9	10 6

DOUBLE HYACINTHS

Consisting of the choicest named varieties

Those preceded by an asterik (*) are the most suitable for forcing; those marked • L • produce large bulbs, • S • small.

				Each	Doz.					Each	Doz.
				s. d.	s. d.					s. d.	s. d.
WHITES											
502	*A la mode, rosy white.	0 4	3 6	778	*Mad. Marmont, sky blue.	0 4	3 6	824	Othello, black.-S.	0 4	3 6
507	Anna Maria, white.	0 4	3 6	834	Passe tout, porcelain blue.	0 4	3 0	859	*Prince Albert, blackish blue	0 4	3 0
529	Bouquet royal, pure white.	0 4	3 6	846	Prince de Saxe-Weimar,				indigo	0 4	3 0
603	Emperor of the double Whites	1 3						893	Rembrandt, light blue	0 4	3 6
622	Flevo, pure white.	0 6	4 0					886	Richard Steele, light blue	0 6	4 0
698	*Jenny Lind, white with purple eye	0 6	4 0					887	Robert Burns, deep blue	0 4	3 6
724	La d�esse, pure white	0 4	3 6	964	Van Speyck, light blue.-S.	0 6	4 0				
726	*La Tour d'Auvergne, pure white	0 4	3 6	YELLOWS							
745	*La Virginit�, rose white	0 4	3 0	532	Bouquet orange, light nan-						
731	Lord Castlereagh, flesh white	0 4	3 6		keen.	0 4	3 6	630	G�the, light nankeen	0 4	3 6
								668	Heroine, light yellow	0 8	6 0
857	*Prince de Waterloo, white.	0 6	4 0					689	Jaune sup�me, nankeen.	0 8	6 0
853	Princesse Alice, pure white	0 4	3 6					793	Minerva, orange	0 6	4 0
922	*Sceptre d'or, pure white.	0 4	3 6					935	Sovereign, clear yellow.	0 6	4 0
BLUE AND DEEP BLUE								937	Sunflower, golden yellow	0 6	4 0
530	*Blokberg, porcelain blue	0 4	3 6					980	*Willem III, nankeen.	0 4	3 6
557	*Charles Dickens, pansy blue	0 4	3 6	RED AND ROSE-COLOURED							
552	*Comte de St-Priest, porcelain blue	0 6	4 0	525	Baron von Rothschild, light rose	0 8	6 0	534	Bouquet royal, rose	0 4	3 0
600	Duke of Norfolk	2 0						536	*Bouquet tendre, lively rose.	0 4	3 0
648	*Garrick, deep blue	0 4	3 0								
754	Lord Nelson, sky blue	0 8	6 0								
746	*Louis Philippe, sky blue.	0 6	4 0								

2nd SERIES3rd SERIES

		Doz.	p. 100			Doz.	p. 100
		s. d.	s. d.			s. d.	s. d.
2	Admiral Florida, violet, striped with white	2	0	12	0		
5	Alida Maria, cherry red, flaked white, small, but pretty flower.	1	3	8	0		
10	Alphers, violet striped white	1	6	10	0		
27	Belle Lizette, fine flower, cherry red, striped violet.	1	3	8	0		
30	Bloemaert, violet rose, slightly bordered and striped with white	1	6	10	0		
26	Bruid van Haarlem, lively carmine, striped with pure carmine.	2	0	15	0		
28	— — or, golden yellow striped carmine	3	0	20	0		
19	Brutus, lively orange brown striped golden yellow.	1	0	6	6		
35	Caméléon, white, finely striped and speckled with light carmine; fringed	1	6	10	0		
17	Cléopâtre, very fine flower, white striped with red.	1	6	10	0		
47	Comte de Vergennes, carmine red streaked with white	1	6	10	0		
57	Donna Maria, white, flaked red	1	3	8	0		
50	Dorothée, white, striped red	1	3	8	0		
77	Duc de Tholl, brilliant red streaked golden yellow	1	0	4	0		
134	Gelber Prinz, fine yellow, interior thickly flaked with brown	1	0	6	6		
109	Globe de Rigaut, violet striped with white.	1	0	6	6		

EARLY DOUBLE-FLOWERING TULIPS

Assortment J.	100 bulbs in 10 varieties with names,	our selection	10 0
" "	50 " 10 " " "		5 6
Fine mixture,	100 : 5/0. — 50 : 3/0. — 25 : 1/9. — 12 : 1/0.		

			Doz.		p. 100					Doz.		p. 100	
			s. d.		s. d.					s. d.		s. d.	
654	Agnes, vermillion, very large paeony-shaped . . .	1 0 6 6	508	La citadelle, light maroon, edged with orange . . .	1 0 6 0								
637	Arabella, satiny crimson . .	1 0 6 0	492	Lady Grandisson, brilliant vermillion	1 0 6 6								
432	Couronne de roses, bright satiny rose.	2 6 16 0	498	Le blason, washy rose . . .	1 6 8 0								
438	Cousine, amaranth-violet bordered with grey . .	1 0 6 0	517	Murillo, rose and yellow . .	1 6 10 0								
446	Duc de Bordeaux, brownish red, edged with yellow .	1 6 8 0	510	Purperkroon, deep blood red	1 0 6 0								
440	— of York (<i>Empereur Nicolas</i>), red edged with nankeen yellow	1 0 6 6	530	Regina rubrorum, vermillion striped golden yellow .	2 0 16 0								
441	— van Tholl, red edged yellow	1 0 5 0	532	Rex rubrorum, bright scarlet	1 6 8 0								
443	— van Tholl, purple	1 0 5 0	549	Rose Blanche, very double, snow white beautiful . .	1 0 6 0								
464	Fluweelen mantel, maroon, slightly bordered yellow .	1 0 6 6	574	Rose et violette, rosy violet and white	1 6 8 0								
470	Gloria solis, deep scarlet, deeply edged with orange	1 0 5 0	581	Rozenkroon, lively carmine .	1 0 6 0								
478	Gris delin pale, cream, striped with violet.	1 0 5 0	582	Titien, maroon, edged yellow	1 0 6 0								
480	Helianthus, brown and yellow	1 0 6 0	578	Tournesol, red, edged lemon	1 3 8 0								
485	Imperator rubrorum, scarlet.	1 6 8 0	579	— jaune, canary yellow with orange reflex	2 0 12 0								
496	La candeur, silvery white .	1 0 4 0	588	Turban violet, large beautiful violet.	1 6 8 0								
			589	Virgilius, carmine rose, edges washed with white	1 0 6 6								

EARLY DOUBLE-FLOWERING TULIPS, NEW AND RARE SUITABLE FOR FORCING

Assortment K.	100 bulbs	in 25 varieties	with names,	our selection	13	0
" "	50	" 25	" " "	"	8	0
" "	25	" 25	" " "	"	4	6
" "	12	" 12	" " "	"	2	6

		Doz.		p. 100			Doz.		p. 100		
		s. d.	s. d.				s. d.	s. d.			
661	Alba maxima, pure white	. 1	6	10	0	545	Prince of Wales, varnished lake red white centre . . .	. 2	0	15	0
407	Anna Paulowna, dark red	. 2	6	16	0	665	Princesse Beatrice, lake red with white centre . . .	. 2	0	15	0
653	Blanche hâtive, large pure white	. 3	0	20	0	631	Queen Victoria, large, cherry red with white centre . . .	. 1	3	3	0
475	Glad tone, lively rose . . .	. 1	6	10	6	630	— improved, very large, striped, with white. . .	. 1	6	10	0
486	Koningia Emma, large dark rose	. 1	0			548	Raphaël, tender rose . . .	. 4	0	28	0
503	La Coquette, dark yellow shaded with orange . . .	. 2	0	12	0	576	Rose aimable, beautiful rose, passing into white .	. 2	0	15	0
481	Lak van Haarlem, violet. . .	. 2	0	12	0	555	— à merveille, large cherry red	. 1	6	3	0
444	L'argentine, very fine silvery white, interior flaked with lively carmine . .	. 2	0	12	0	572	ROZENBURG, currant red, very pretty. Novelty .	. 12	0		
491	La Victoire, beautiful dark rose	. 2	3	15	0	657	Rubra maxima, deep red .	. 1	6	8	0
515	Le Matador, large, dark red	. 1	6	8	0	575	Salvator rosa, red and rose.	. 1	6	10	0
518	Leo, orange and maroon . .	. 2	0	12	0	584	Sultane favorite, deep red .	. 1	6	10	0
509	Léonard de Vinci, maroon and yellow.	. 2	0	12	0	590	Tournesol orange, beautiful red, edged with orange yellow	. 4	0	23	0
488	Lina, large, fine rose. . .	. 1	6	10	0	595	Van Dyck, large, carmine bordered white	. 2	0	13	0
505	LION D'ORANGE, large, orange	. 2	0	12	0	641	Violet foncé, fine violet. .	. 2	0	12	0
522	Lord Beaconsfield, dark, rose and white, beautiful.	. 12	0			658	Vuurbaak, lively orange red	. 2	6	16	0
544	PRINCE D'ORANGE, very large, deep orange. . .	. 20	0			659	Weenix (<i>prolifera</i>), fine carmine, edged pure white	. 1	6	10	0

Each	Doz.
s. d.	s. d.

CROCUS

CROCUS. — SPECIES

FRITILLARIA

CROWN IMPERIALS — FRITILLARIA IMPERIALIS

FRITILLARIA MELEAGRIS (NARROW LEAVED VARIETIES)

Dwarf varieties with broad leaves and large flowers:

Fine mixture : 12 : 1/9. — per 100 : 10 6.

Latest Novelties with enormous flowers.

Latest Novelties with enormous flowers.		Each s. d.
1500	BOSTON, brilliant orange-scarlet, open pure white throat profusely spotted violet	0 9
1501	COLUMBIA, light orange-scarlet, heavy blotched and veined with purplish violet, scarlet throat	0 9
1502	HENRY GILLMAN, deep salmon-scarlet, with broad white band on each petal, throat heavily veined	0 9
1503	MOHONK, enormous bloom, deep rose, throat blotched, shaded scarlet, very robust	0 9
1504	M ^{rs} BEECHER, rosy crimson, throat pure white, marked crimson, enormous flower, splendid var.	0 9
1505	NEZINSCOTT, bloodred, entrance at throat deep velvety crimson and spotted on white ground	0 9
1506	W ^m FALCONER, enormous spike of immense flowers of two shades of tender rose heavily spotted, throat white, crimson spotted	0 9

Supplied from the end of August till November.

[illegible]

Fine mixture, per 100 : 3/. — Per 25 : 1/

Those requiring shelter in cold pit or greenhouse during winter are marked thus †. Flowering in June-July, except the *G. tristis floribus tuescen'tibus*, flowering in May.

		Each Doz. 100					Each Doz. 100							
		s.	d.	s.	d.	s.	d.	s.	d.					
3765	Colvilli			0	9	4	0	3791	†ringens tenderviolet	0	9	6	0	
3766	— albus. <i>The Bride</i>			0	9	4	0	3794	Saundersianus . . .	1	0	8	0	
3773	— roseus. <i>A Novelty</i>	0	6	4	0			3795	†sulphureus	0	9	6	0	
3768	communis flore roseo.			0	9	4	0	3797	†tenellus	0	9	6	0	
3769	— — — major, large, light amaranth .			1	0	5	0	3798	†rimaculatus, lilac with three carmine blotches	0	9	6	0	
3770	— — — rubro, carmine			1	0	5	0	3799	†tristis floribus lutes- centibus, fine crea- my white sweet- scented flower. .	0	6	4	0	
3778	Dracocephalus . . .			1	3	8	0		3801	†Watsonius purple .	0	9	6	0
3781	†gracilis	0	9	6	0									
3783	†hirsutus, large. rose.	0	9	6	0									
3786	†præcox	0	9	6	0									
3787	purpureo auratus . .	0	3	2	0	12	0							

IRIS ANGLICA (XIPHIODES) (ENGLISH IRIS)

May be had from August till October.

100 bulbs in 25 varieties with names.	10 0.
---	-------

Fine mixture, per dozen: 1/. — Per 100: 5/.

		Each	Doz.			Each	Doz.
		s. d.	s. d.			s. d.	s. d.
4435	<i>sibirica Polyanthe</i> . . .	0 3	2 0	4446	<i>ungicularis (stylas)</i> , winter-flowering of ex- quisite lavender blue . . .	0 6	4 0
4437	— <i>Thalia</i>	0 3	2 0	5118	— <i>alba</i> , white	2 0	
	The <i>Iris sibirica</i> are very floriferous; the flowers are small, white, light blue, purple, etc. of long duration, in June.			4450	<i>verna</i> , tender violet . . .	1 0	
4440	<i>subiflora</i> , light blue . . .	0 6	4 0	4448	<i>versicolor</i> , white, blue and rose	0 6	5 0
4443	<i>Tolmiana</i>	0 6	4 0	4449	<i>violacea</i> , violet	0 9	6 0
4436	— <i>violacea</i>	0 9	6 0	4450	<i>virginica</i> , lilac rose . . .	0 3	2 0
					— <i>6 new hybrids</i>	4 0	

DWARF IRIS (POGONIRIS)

		Each s. d.	Doz. s. d.			Each s. d.	Doz. s. d.
1	<i>Iris olbiensis</i> Albert Dürer			4406	<i>Iris pumila cælestis</i> . . .	0 6	4 0
	Light violet	0 6	4 0	4408	— — <i>flava maculata</i> . . .	0 6	4 0
4365	— — <i>alba</i>	0 9	6 0	4410	— — <i>gracilis</i> , pure white		
4434	— — <i>atroviolacea</i> , deep				with a bronze reflex. . .	0 6	4 0
	violet.	0 6	4 0	2	— — <i>Grense</i> , mallow		
4366	— — <i>carulea</i>	0 6	4 0		coloured.	1 0	
4429	— — <i>var.</i> Van Houttei,			3	— — <i>Holbein</i> , canary		
	dark blue	0 6	4 0		yellow	1 0	
4367	— — <i>lutea</i> , yellow. . . .	0 6	4 0	5	— — <i>Joost Vanden Von-</i>		
4409	— — <i>grandiflora</i>	0 6	4 0		<i>del.</i> purplish violet. . .	0 6	4 0
8	— — <i>Mummelach</i> , pale			6	— — <i>Le Poussin</i> , light		
	sulphur	0 6	4 0		purple	0 6	4 0
9	— — <i>Michel Ange</i> , light			7	— — <i>Le Titien</i> , dark		
	violet.	0 6	4 0		violet.	0 6	4 0
10	— — <i>Murillo</i> , white. . . .	0 6	4 0	4412	— — <i>lutescens</i> , yellow . .	0 6	4 0
12	— — <i>Regulus</i> , dark vio-			4413	— — <i>obscura</i> , blackish		
	let.	0 6	4 0		purple	1 0	
4369	— — <i>sulphurea</i> , The above			11	— — <i>Fourbus</i> , sulphur		
	are early-flowering, and				yellow	0 6	4 0
	suitable for groups . . .	0 9	6 0	14	— — <i>Salvator Rosa</i> ,		
4402	— — <i>pumila atrocarulea</i> . .	0 6	4 0		purplish violet, above		
4362	— — <i>aurea</i> golden yellow	0 6	4 0		are dwarf and free-		
4405	— — <i>pumila carulea</i> . . .	0 3	2 0		flowering	0 6	4 0

IRIS GERMANICA

Neither care nor expense have been spared to render this collection one of the finest in Europe.

Assortment	E.	100 roots in 50 fine varieties, our selection.	. . .	12 0
"	F.	50 " 50 " " "	. . .	7 0
"	G.	100 " 10 " " "	. . .	10 0
"	H.	50 " 10 " " "	. . .	6 0

Fine mixture, per dozen : 1/3. — Per 100 : 6/6. — Purchaser's selection, each : 0 3.

S denotes the erect petals or standards.
F " " lower " " falls.

4536	Amabilis, S. light lilac, F. velvety purple.	4550	Bariensis, S. and F. white, bordered lilac.
4537	Amélie, S. bluish violet, F. velvety purple.	4551	Belisaire, S. pure white, F. deep purple reticulated white.
4538	Antiope, S. metallic blue, F. light purple netted pale yellow.	4552	Bossuet, S. bronze, F. purplish violet, white veined.
4539	Apollon, S. sky blue, F. light purple reticulated remon.	4553	Britannicus, S. purplish bronze, F. rosy violet, reticulated white.
4540	Arlequin malinois, S. sky blue striped with purple, F. deep violet reticulated white.	4557	Calypso, S. and F. white, reticulated violet blue.
4542	Augustina, S. bronzy copper red, F. yellow netted brownish red and shaded black.	4558	Caméléon, S. indigo blue flaked purple, F. pale violet netted white.
4543	Augustus, S. azure blue, F. deep blue.	4559	Céleste, tender satiny blue.
4544	Aurea, S. and F. golden yellow.	4560	Cerbère, S. straw yellow, F. purplish amaranth.
		4562	Cléopâtre, S. chamois yellow, F. deep velvety crimson, reticulated white.

- 4563 Comte de Saint-Clair, S. pure white shaded violet, F. purplish violet netted white.
- 4565 Cornélie, S. lilac F. velvety blackish purple netted white.
- 4571 Duke of York, satiny bluish purple.
- 4574 Edina, S. light satiny blue, F. violet edged with pale blue and reticulated white.
- 4576 Fénélon, S. copper red marbled bronze on the tips, F. purple netted golden yellow.
- 4577 Florentine, S. and F. pure satiny white.
- 4580 Gédéon, S. bronzy copper red, F. velvety dark purple netted straw yellow.
- 4582 Hericart de Thury, S. bronzy copper red, F. velvety purple amaranth netted white.
- 4583 Hortense, S. pale yellow, F. milky white veined brown.
- 4584 Hugh Block, S. copper red, F. bluish lilac reticulated white.
- 4587 Ignace, S. light blue, F. purple, strongly reticulated white.
- 4589 Jordaens, S. and F. peach, reticulated white.
- 4590 Judith, S. nankeen, F. crimson and maroon reticulated yellow.
- 4591 Jules César, S. bright yellow, F. velvety blackish purple.
- 4592 Juliette, S. satiny white shaded violet, F. indigo blue with white reflex.
- 4598 Lady Stanhope, S. light blue, F. violet purple.
- 4599 Lelieur, S. lively yellow, F. bright yellow striped velvety maroon.
- 4600 Liabaud, S. golden yellow, F. velvety crimson.
- 4601 Lord Gray, S. bronzy copper red, F. nankeen yellow.
- 4606 Mad. Chereau, S. and F. milky white edged sky blue.
- 4607 Mad. Sonntag, S. lavender, F. violet netted white.
- 4608 Magnet, S. canary yellow, F. red shaded with black and netted yellow in the centre.
- 4609 Maria Theresa, S. pale yellow, F. amaranth netted yellow.
- 4610 Memnon, S. bronzy copper red, F. light red, netted white.
- 4611 Minerve, S. bronzy violet, F. velvety purple white veined.
- 4612 Minos, S. yellow, F. crimson reticulated white.
- 4613 Muta, S. lilac with purple reflex, F. satiny purple.
- 4619 Orphée, S. pure yellow, F. striped maroon on white ground.
- 4621 Pallida speciosa, S. violet red, F. purple.
- 4622 Pancrace, S. golden yellow, F. veined white and edged yellow.
- 4623 Pharaon, S. lilac, F. pale violet, white centre.
- 4624 Phidias, S. bronzy copper red, F. reddish maroon, veined yellow.
- 4625 Pluton, S. bronzy violet, F. bluish lilac.
- 4626 Poiteau, S. satiny white, F. deep purple reticulated white.
- 4632 Raphaël, S. pale nankeen, F. deep violet purple, white veined.
- 4633 Rebecca, S. chamois, F. velvety crimson netted white.
- 4634 Rolandiana, S. pure white, F. indigo blue reticulated white.
- 4638 Sambucina major, S. lilac, F. purple reticulated yellow.
- 4639 Samson, S. golden yellow, F. velvety crimson reticulated white.
- 4640 Sapho, S. azure blue, F. deep velvety purple netted yellow.
- 4641 Spectabilis, S. and F. velvety purple, shaded darker.
- 4642 Sultan, S. nankeen, F. crimson reticulated white.
- 4643 Sylvie, S. pale lilac veined blue, F. velvety deep blue netted white.
- 4649 Teresita, S. pale lilac, F. velvety purple veined white.
- 4651 Variegata major, S. golden yellow, F. purplish bronze.
- 4652 Venus, S. copper red, F. white reticulated with velvety purplish violet.
- 4653 Virgile, S. Bronzy red, F. mauve veined straw yellow.
- 4657 Walter Scott, S. pale yellow with bronze reflex, F. white reticulated velvety purplish maroon.

IRIS KÄMPFERI

Flowering in June and July, of enormous size, and of the handsomest shades of colors imaginable.

We can specially recommend our new hybrids, they are very hardy and easy to grow.

100	Iris Kämpferi	in 25 distinct varieties	our selection (<i>ex'ra</i>).	80	0
50	"	25	"	45	0
24	"	25	"	25	0
12	"	12	"	12	0

Seedlings fine mixed : Per 100 : 20/. — Per 12 : 3/3.

12 novelties extra fine : 0/.

IXIAS

Large flowered choice varieties

To be grown in pots in a greenhouse near the glass or in frames, with a good ventilation except during frosty weather. — They flower in June and are well adapted for forcing; 4 or 5

	Each	Doz.		Each	Doz.
	s. d.	s. d.		s. d.	s. d.
4707 GRAYII (<i>new</i>), after the style of <i>L. canadense</i>	2	0	4673 Pardalinum (<i>California</i>), 4-6 feet high, bright orange spotted maroon	0 6	4 0
4709 Hansonii, golden yellow, profusely spotted black.	2 0	20 0	4759 — angustifolium	0 9	7 6
4708 HENKII (orange yellow speciosum), novelty of great merit, 16-20 flowers on a spike 5-6 f. high; deep orange yellow. One of the most distinct lilies ever introduced from China	8 0		4760 — Bourgaisi, of intense orange color.	2 0	
4710 Humboldtii, orange yellow, spotted purple in July.	2 0		4768 — minor (<i>pumilum</i>), across between <i>L. parvum</i> and <i>pardalinum</i>	1 0	8 0
4711 — var. Bloomerianum, golden yellow, spotted brown	2 0		4773 Parryi (<i>California</i>), beautiful citron yellow, finely maroon spotted, most fragrant, and one of the handsomest of all lilies.	2 6	
isabellinum, see <i>testaceum</i> .			4757 parvum, golden yellow, spotted maroon, in June-July	1 9	16 0
4714 japonicum Colchesteri (<i>odoratum</i>), resembling <i>L. Brownii</i> , interior lemon colored when opening, partly chocolate col. or blotched; very sweet-scented	2 0		4758 Philadelphicum, brick red, finely spotted black, in June	0 9	6 6
4716 Kamschatkense (<i>nigrum</i>) (<i>Fritillaria Sarana</i>). The black lily of Siberia	0 9	7 6	4729 Philippinense, large pure white, beautiful and rare	3 6	
4717 Kramerii, beautiful pink, sweet-scented in July.	1 3	12 0	4761 pomponium luteum, yellow, in Mai-June.	1 0	8 0
lanceifolium, see <i>speciosum</i> .			4762 — rubrum, red in May-June	0 9	6 6
4735 Leichtlinii, citron yellow, spotted purplish brown, in July	2 0		4763 pulchellum, light red, spotted brown, in June-July, light red. spotted brown, in June-July.	1 3	12 0
4736 longiflorum, pure white.	0 3	2 0	roseum, see <i>Tompsonianum</i> .		
4703 — eximium, superior to the foregoing, very early and free flowering, excellent for forcing purposes.	0 9	3 0	4720 speciosum album	0 6	4 0
4739 — foliis albo-marginatis, leaves, silvery white banded	2 0		4721 — — fasciculatum corymbosum	0 3	2 0
4713 — giganteum, very robust.	1 9	18 0	4723 — — Krätzeri, the best of the speciosum-section.	1 3	12 0
4718 — Harrisii, Bermuda Lily.	0 9	6 0	4724 — — novum, pure white, larger than the preceding	2 0	20 9
4713 — Takesima, very large	0 6	4 0	4726 — punctatum	0 9	6 0
4719 LOWII, a rare species, white spotted purple, resembling in some way <i>L. polyphyllum</i> . Requires greenhouse or frame	12 0		4728 — roseum	0 6	0 4
4740 Martagon, common purple.	0 6	4 0	4731 — rubrum, crimson	0 6	4 0
4741 — dalmaticum, deep blood red, in June.	2 0	16 0	4733 — — cruentum (<i>Helpomene</i>), the darkest colored of the red speciosums	1 3	12 0
4741 — flore alba, white, in June-July	2 0		4746 — — macranthum (<i>superbum</i>), similar to preceding, but robust.	1 3	12 0
4749 Maximowiczii, orange spotted, in July-August	2 6		4752 — — multiflorum	0 6	4 0
4750 Michauxianum, drooping flower, deep lemon, in June	1 0	8 0	4771 superbum pyramidale. American swamp lily, attains a height from 6 to 7 feet, orange yellow, spotted maroon, crimson tipped.	0 9	10 0
4755 NEPALENSE (<i>India</i>), rare of the <i>longiflorum</i> group, golden yellow, interior slightly tinged purple, requires greenhouse culture.	8 0		4772 Szovitzianum (<i>Colchicum</i>), bright lemon yellow dotted with black, in May-June	1 0	10 6
4753 NEILGERRENSE (<i>India</i>), large sulphur colored, very handsome.	5 0		Takesima, see <i>longiflorum</i> .		
nigrum, see <i>kamschatkense</i> .			4776 tenuifolium, in June, small red martagon, very graceful	1 0	10 6
			4777 testaceum (<i>exelsum</i> , <i>isabellinum</i>), in June-July, large, nankeen yellow	1 6	15 0
			4780 Thompsonianum (<i>roseum</i>), pendulous, rose slightly violet in June	0 6	4 0

		Each s. d.	Doz. s. d.			Each s. d.	Doz. s. d.
4780	Thunbergianum <i>Alice Wilson</i> , rare apricot, broad yellow band, brown spotted	4	0	4814	Thunbergianum punctatissimum, very large, bright red, covered with black spots	0	6 5 0
4782	— <i>atropurpureum</i> , in June, mahogany brown, flaked and dotted black	1	0 10 6	4815	— <i>præcox</i> , large lively red, entirely spotted black	0	6 4 0
4783	— <i>maculatum</i>	1	9 16 0	4816	— <i>punctatum</i> , mahogany, flaked orange, and spotted black	1	3 12 0
4784	— <i>atrosanguineum</i> (<i>sul-gens</i>), blood red	1	3 12 0	4818	— <i>sanguineum</i> , blood red	0	9 6 0
4785	— <i>grandiflorum</i> , magnificent deep blood red star shaped	0	9 6 0	4820	— <i>Van Houttei</i> , large, deep, blood red, one of the finest of all	0	9 8 0
4786	— <i>maculatum</i>	0	6 4 0	4822	— <i>venustum</i> (<i>elegans</i>), pure yellow, very large	0	9 8 0
4787	— <i>major</i> , dark mahogany red	0	6 4 0	4824	— <i>compactum</i> , light orange yellow	1	9 16 0
4794	— <i>aurantiacum</i> bicolor, orange red and salmon-colored at the base with numerous black dots	0	6 5 0	4826	— <i>grandiflorum citrinum</i> , large lemon yellow	2	0 20 0
4791	— <i>elegans</i> , salmon yellow	1	9 16 0	4828	— <i>macranthum</i> , large, very bright yellow	2	0 20 0
4798	— <i>multiflorum</i> , fine salmon yellow, free flowering	1	9 16 0	4832	— <i>versicolor</i> , light chamois yellow, flaked mahogany brown and dotted black	2	6
4795	— <i>fl. semi-pleno</i> , orange red slightly spotted maroon	1	9 16 0	4834	— <i>vitellinum maculatum</i> , bright saffron orange, spotted black	1	0 10 6
4790	— <i>multiflorum</i> (<i>bitigulatum</i>), large orange, throat spotted black	0	6 5 0	4835	— <i>Wilsoni</i> , apricot yellow	2	6
4799	— <i>grandiflorum</i>	0	9 6 6	4836	— <i>in miniature</i> , all the Thunbergian sect. flower about June and July		3 0
4801	— <i>nanum</i>	0	6 4 0	4837	<i>tigrinum</i> , tiger-lily	0	3 2 0
4792	— <i>aureum nigro-maculatum</i> , bright yellow flowers finely dotted with black	0	6 4 0	4840	— <i>Fortunei</i> fl. p., gigantic double tiger-lily	0	6 4 0
4793	— <i>grandiflorum</i>	1	0	4853	— <i>splendens</i> (<i>Leopoldi</i>), bright in color then preceding	0	3 2 0
4796	— <i>citrinum</i> , pure lemon yellow, dotted with black	1	3 12 0	4856	<i>umbellatum atrosanguineum</i> , deep blood red	0	6 5 0
4797	— <i>cruentum</i> , blood red, spotted orange and maroon	1	0 9 0	4858	— <i>bicolor</i> , large, red and yellow	0	6 4 0
4816	— <i>flammulum nanum</i> , light orange red, flamed maroon, finely spotted black	1	0 8 0	4860	— <i>fulgidum</i> red	0	6 4 0
4803	— <i>formosum</i> , fiery red, shaded yellow	0	9 3 0	4863	— <i>incomparabile</i> , dark red with orange centre	0	6 4 0
4813	— <i>grandiflorum aureum</i> , large golden yellow, throat sparingly dotted brown	2	6		<i>venustum</i> , see <i>Thunbergianum venustum</i> .		
4806	— <i>macranthum fulgens</i> , large glossy red, spotted black	1	9 16 0	4873	<i>Wallacei</i> , closely allied to <i>Leichlinii</i>	0	6 5 0
4810	— <i>pictum</i> , red, striped and flamed golden yellow	0	3 2 0	4875	<i>Wallichianum superbum</i> (<i>Sulphureum</i>), a handsome yellow Indian lily, require glass protection	5	0
4812	— <i>Prince of Orange</i> , golden yellow, lightly spotted with black	0	6 4 0	4876	<i>Washingtonianum</i> , white, sweet-scented, in July	2	6
				4877	— <i>purpureum</i> , delicate silvery white slightly tinged purple, very sweet-scented	4	0

LILY OF THE VALLEY

(Convallaria majalis)

The TRUE BERLIN variety, best for forcing, per dozen: 1/. — Per 100: 5/. — Per 1000: 45/.

NARCISSUS — TAZETTA

POLYANTHUS NARCISSUS — SUITABLE FOR FORCING

Assortment A.	100	bulbs in	25	varieties with	names, our selection.	12	6
" B.	50	"	25	"	"	7	0
" C.	12	"	12	"	"	2	0
" D.	100	"	10	"	"	10	6

Fine mixture: 100: 2/. — 12: 16.

	Doz.	100		Doz.	100
	s. d.	s. d.		s. d.	s. d.
23 Double Roman.	1	0	5	0	
30 Gloriosus, white and golden yellow	1	6	8	0	
38 Grand Monarque, large, pure white, light lemon centre	1	9	12	0	
41 Soleil d'or, golden yellow	1	6	10	0	
45 Jaune suprême, yellow	1	3	8	0	
67 orientalis, white and yellow	10	0			
68 Perle blanche, pure white	1	6	10	0	
74 Queen Victoria, white, golden yellow centre	1	6	10	0	
84 Staten Generaal, white with yellow centre.	1	0	7	0	
181 Tazetta flore pleno (<i>nobilissimus</i>), double white with yellow centre.	1	6	10	0	
25 Totus albus (<i>Paper white</i>), single, pure white, best for forcing	1	0	5	0	
83 — — grandiflorus	1	0	6	6	
88 Willem II, large clusters, white with golden yellow centre	1	6	10	0	

NARCISSUS — SPECIES AND VARIETIES

Assortment F.	100	bulbs in	25	sorts with	names, our selection.	16	0
" H.	50	"	25	"	"	9	0
" G.	30	"	15	"	"	5	9

Fine mixture, per 100: 7/. — Per 12: 1/3.

	Each	Doz.		Each	Doz.
	s. d.	s. d.		s. d.	s. d.
215 Albicans, medium, pure white extra fine	0	9	162 Horsfieldii, large yellow with white trumpet	0	4
150 albus odoratus (<i>poeticus</i>) per 100	3	0	199 Humei lutea, yellow, medium.	0	6
227 — — grandiflorus larger and earlier than the preceds.	1	0	200 — sulphurea, sulphur yellow	0	6
193 — — ornatus per 100	5	0	191 incomparabilis. p. 100	8	0
151 — plenus odoratus (<i>poeticus flore pleno</i>) p. 100	5	0	207 simplex (<i>Mary Anderson</i>), white with orange centre	0	9
152 — angustifolius, pure white, early. p. 100	5	9	236 — conspicuus, yellow with orange trumpet	1	3
153 bicolor flore pleno, very large, double, white with orange centre. p. 100	8	0	242 — Cynosurus cream white with bright yellow trumpet	0	3
154 biflorus, milky white with bright yellow, centre p. 100	4	0	234 — Figaro, large yellow star-shaped		1
155 bifrons (<i>Étoile d'or</i>), golden yellow, sweet-scented	1	6	194 — flore albo (<i>Stella</i>), pure white. per 100	5	0
157 Bulbocodium (<i>Corbularia</i>), A funnel-shaped flowers of golden yellow.	3	0	163 — — pleno, very large and double yellow, p. 100	6	0
212 — citrinus.	2	0	197 — giganteus (<i>Sir Walkin</i>).	0	4
158 — flore albo (<i>Clusti</i>), white.	2	0	243 — Golden Mary, sulphur, yellow trumpet	0	6
217 Capax plenus, sulphur yellow	2	6	235 — Princess Mary, large white with long yellow trumpet	2	0
198 Cernuus, single, pure white, trumpet shaped.	1	3	232 Johnstoni Queen of Spain, canary yellow, trumpet shaped	0	6
214 — pulcher.	1	0	201 Leedsii albidus, pure white	0	3
215 — William Goldring.	1	3	240 — calathinus, dwarf, cream colour, orange trumpet	1	0
229 Cyclamineus, pure white.	0	6	237 Leedsii elegans, white with yellow trumpet, fine	1	3
185 Emperor, large trumpet, golden yellow	0	4	202 — gloriosus	0	4
159 Empress, large yellow, white trumpet.	0	4	247 — Modele, white, sulphur trumpet.	2	6
160 gracilis, canary yellow	0	3			

MISCELLANEOUS, HARDY, BULBOUS AND TUBEROUS-ROOTED PLANTS

For others not enumerated in this section, see further on amongst « Bulbous and tuberous-rooted plants to be supplied from Oct.-March. »

Those requiring shelter in cold pit or greenhouse during winter are marked thus †

It is sufficient to indicate the name of the genus and the N° of the species or variety.

		Each	Doz.	100	
		s. d.	s. d.	s. d.	
3201	Adonis vernalis, large, golden yellow . . .	0	3	2	0
3204	† Agapanthus minor Moo- reanus slate blue . . .	0	3	2	0
3208	† — umbellatus, blue . . .	0	6	4	0
3209	† — — fl. albo, white . . .	0	10	8	0
3210	† — — — monstroso. . .	0	6	4	0
3216	† — — — pleno . . .	0	10	8	0
3212	† — — foliis : lbo-vitta- tis, beautiful foliage . . .	2	0		
3213	† — — — aur.-vittatis . . .	2	6	20	0
3217	† — — giganteus . . .	8	0		
3214	† — — maximus, larger than the preceding varieties . . .	1	0	8	0
3215	† — — — flore albo . . .	1	9	16	0
	All the Agapanthus flower in July- August.				
3219	Albuca fastigiata, white . . .	0	6	4	0
3222	Allium acuminatum, violet purple. . .	0	6	4	0
3223	— album, pure white. . .			1	0
2	— amblyophyllum . . .	1	0		
3224	— azureum, sky blue. . .	0	6	4	0
3226	— Cydny, very fine white . . .			1	0
3229	— descendens. purple and green. . .			1	0
4	— fallax, purple . . .			1	3
3232	— fragans, white . . .	0	6	4	0
3234	— Geyeri, rosy white. . .	1	0	6	0
3220	— giganteum, rose. . .	3	6		
3247	— Karataviensé . . .	1	0	8	0
3235	— magicum (nigrum). . .			1	0
3236	— Moly, golden yellow . . .			1	0
3237	— Murryanum, large bouquets of violet purple flowers . . .	0	6	4	0
3246	— Neapolitanum, white . . .			1	0
3243	— Ostrowskianum . . .	0	3	2	0
3241	— Pedemontanum, rose . . .	0	9	6	0
5	— Rosenbachianum. . .	1	0	8	0
3214	— roseum, deep rose. . .			1	3
3248	— Scorodoprasum . . .	0	6	4	0
3249	— sibiricum, sweet- scented . . .			1	3
3250	— sphærocephalum, purplish violet . . .	0	2	2	0
3253	— stipitatum, flowers amaranth rose . . .	1	0	8	0
3251	— subhirsutum, pure white . . .			1	0

		Each	Doz.	100			
		s. d.	s. d.	s. d.			
Alstroemeria. — <i>Quite</i> <i>hardy</i> when plan- ted one foot deep.							
3260	† — acutifolia (<i>Boma- rea</i>), flowers orange	1	0	8	0		
3261	— aurantiaca, orange.		1	3	8	0	
3262	— flava, yellow . . .	0	3	2	0	12	0
3265	— brasiliensis, amar- anth, striped maho- gany brown and spotted black . . .	0	6	4	0		
3267	† — CALDASIANA (<i>Bo- mareia</i>).	8	0				
3268	— chilensis, beautiful.		1	3	8	0	
3271	† — Errembaulti . . .	0	9	6	0		
3273	† — hæmantha . . .	0	9	6	0		
3275	† — Jacquini (<i>Bomarea</i>) . . .	4	0				
3277	† — oculata (") . . .	0	6	4	0		
3278	† — OLIGANTHA (") . . .	8	0				
3280	† — pelegrina . . .	0	6	4	0		
3281	† — alba, white . . .	0	9	6	0		
3283	† — pulchella . . .	0	6	4	0		
3284	† — revoluta, yellow . . .	0	9	6	0		
3286	† — TENUIFOLIA, vio- let rose	2	0				
3287	† — tricolor	0	3	2	0		
3288	† — versicolor (<i>peru- viana</i>), half-hardy . . .	0	3	2	0		
All the Alstrœme- rias flower in July-August.							
3292	† Amaryllis angustifolia (<i>Nerine</i>)	3	6				
3291	† — aurea (<i>Lycoris</i>), golden yellow, very rare	2	6				
3293	— Belladonna . . .	0	6	4	0		
3294	— — blanda . . .	1	0	8	0		
3302	— — rosea major . . .	1	0	8	0		
3300	— — — perfecta . . .	1	0	8	0		
3301	— — rubra, red co- lor of unusual bril- liancy	1	8				
3303	† — — spectabilis . . .	1	0	8	0		
3307	† — corusca (<i>Nerine</i>) . . .	1	0	8	0		
3327	† — — major (") , car- mine red	3	6				
3308	† — crispa (<i>Imhofia</i>), rose very pretty . . .	1	0	8	0		
3310	† — excellens (<i>Nerine</i>) . . .	4	0				
3311	† — falcata (<i>Brunswi- gia</i>)	5	0				
3312	† — flexuosa (<i>Nerine</i>) . . .	1	3	12	0		

	Each Doz. 100				Each Doz. 100			
	s.	d.	s.	d.	s.	d.	s.	d.
3313 † <i>Amaryllis</i> <i>Forthergillii</i> (<i>Nerine</i>)	1	3	12	0				
3315 † — <i>japonica</i> ()	0	9	6	0				
3314 † — <i>Josephinae</i> (<i>Brun-</i> <i>wigia</i>), very strong, forming an immense umbel measuring 3 feet in diam. cove- red with 50 to 60 flowers of eight inches in width, of a bright crimson, and purplish orange ex- terior.	2	0	6	0				
3316 — <i>lutea</i> (<i>Sternbergia</i>), lemon yellow	0	3	2	0				
3318 † — <i>multiflora</i> (<i>Brun-</i> <i>wigia</i>)	6	6						
3322 † — <i>procera</i> (<i>Hippea-</i> <i>strum</i>), blue, requi- res a place in the greenhouse near the glass in winter, and to be kept dry until May: rare et beautiful	12	0						
3324 † — <i>purpurea</i> (<i>Vallo'a</i>).	1	0	8	0				
3329 † — <i>radiata</i> (<i>Lycoris</i>)	5	0						
3328 — <i>sanguinea</i> (). <i>New</i> , blood red.	1	0	10	0				
3331 † — <i>sarniensis</i> (<i>Nerine</i>), fine satiny carmine	0	6	4	0	28	0		
3336 † — <i>undulata</i>	1	0	8	0				
3369 <i>Anomatheca</i> <i>cruenta</i> (<i>Lapeyrousea</i>), li- vely red, fl. in July	0	3	1	6				
<i>Anthericum</i> , see <i>Czakia</i> .								
3371 † <i>Antholyza</i> <i>aethiopica</i> , July.	0	6	4	0				
3372 † — <i>Cunonia</i>	0	6	4	0				
3376 <i>Apios tuberosa</i>	0	3	2	0				
3378 † <i>Arisaema</i> <i>præcox</i>	1	9	16	0				
3379 † — <i>ringens</i>	1	6	12	0				
3380 † — <i>Serotinum</i>	0	9	7	6				
3381 † — <i>Sieboldii</i>	3	6						
All the <i>Arisaema</i> flo- wer in May-June.								
3383 <i>Arum</i> <i>albispathum</i> , a very curious spe- cies to white.	0	3	2	0				
3393 — <i>canariense</i>	0	6	5	0				
3396 — <i>corsicum</i>	0	9	8	0				
3397 † — <i>crinitum</i> , an extra- ordinary plant flo- wers very broad, more than a foot in length, of flesh colour deeply spot- ted and covered with hair	1	0	8	0				
3418 — <i>dioscorioides</i> <i>spec-</i> <i>tabilis</i>	1	3	12	0				
3401 — <i>Dracunculus</i>	0	6	4	0				
3404 — <i>italicum</i>	0	3	2	0				
3406 — <i>maculatum</i>	0	6	5	0				
3407 — <i>marmoratum</i>	0	6	4	0				
3408 — — <i>macrophyllum</i>	0	9	6	0				
3411 — <i>Nickelii</i>	0	6	4	0				
3412 <i>Arum</i> <i>numidicum</i>	0	6	4	0				
3414 — — <i>orientale</i> , brown	0	6	4	0				
3415 — — <i>præcox</i>	1	0	8	0				
3416 — — <i>sanctum</i> (<i>Palesti-</i> <i>num</i>)	0	9	6	0				
3425 — — <i>variolatum</i>	0	9	7	6				
3428 — — <i>Zelebori</i>	1	0	8	0				
All the <i>Arum</i> flower in May-June.								
3437 <i>Bellevalia</i> <i>comosa</i> (<i>Mus-</i> <i>cari</i>).	0	3	1	6				
3438 — — <i>atrocærulea</i> ().	0	3	1	6				
3439 — — — <i>monstrosa</i>	0	3	1	6				
3440 — — — <i>plumosa</i> ().	0	3	1	6				
3441 — — <i>flava</i> , large yellow	3	3						
3446 — — <i>pallens</i> , violet	0	6	4	0				
3445 — — <i>romana</i> (<i>Hyacin-</i> <i>thus romanus</i>), pure white flowers.	0	6	4	0				
3443 — — <i>suaveolens</i> <i>minor</i> (<i>Muscari</i>), dull green flowers	0	3	2	0				
3444 — — — <i>major</i> ()	0	6	4	0				
All the <i>Bellevalia</i> flo- wer in June								
3449 <i>Bessera</i> <i>elegans</i>	0	6	5	0				
3450 <i>Bloomeria</i> <i>aurea</i>	0	3	2	0				
3452 <i>Bobartia</i> <i>aurantia</i> a orange red	0	3	1	3	8	0		
3457 <i>Botryanthus</i> <i>atlanticus</i> azure blue	0	3	2	0	12	0		
3458 — — <i>commutatus</i>	0	3	1	3				
3456 — — <i>Conicus</i> , dark blue	0	6	4	0				
3459 — — <i>Heldreichi</i>	1	0	6	0				
3472 — — <i>lingulatus</i>	0	9	6	0				
3461 — — <i>moschatus</i> <i>racemo-</i> <i>sus</i>	0	3	1	3	8	0		
3463 — — <i>neglectus</i>	0	3	1	3	8	0		
3464 — — — <i>multiflorus</i>	0	3	1	3	8	0		
3471 — — — <i>obscurus</i>	0	3	1	3	8	0		
3462 — — <i>pallens</i>	0	6	4	0				
3476 — — <i>paradoxus</i> , dark blue.	0	3	2	0				
3465 — — <i>Szowitzianus</i>	0	3	2	0				
3466 — — <i>vulgaris</i>	0	3	1	3				
3467 — — — <i>cæruleus</i> <i>major</i>	0	2	1	3	8	0		
3474 — — — <i>carneus</i>	0	3	2	0				
3468 — — — <i>flore albo</i>	0	3	1	3	8	0		
3469 — — — <i>leucophæa</i>	0	3	2	0				
3470 — — — <i>pallida</i>	0	3	2	0	12	0		
3473 — — — <i>obscurus</i>	0	3	1	3	8	0		
The <i>Botryanthus</i> , or Grape - Hyacinths are suitable for edging. Flowers, blue, deep blue, light blue, white and grey.								
3482 <i>Brodiaea</i> <i>californica</i> <i>flore</i> <i>albo</i>	0	3	2	0	12	0		
3483 — — <i>coccinea</i> (<i>Brevortia</i>) bell-shaped red.	0	6	4	0				
3484 — — — <i>congesta</i> , blue	0	2	1	3	8	0		
3485 — — — <i>congesta</i> <i>alba</i> , white	0	6	4	0				
3386 — — — <i>hybrida</i> , dark blue.	0	3	2	0	12	0		
3489 — — — <i>grandiflora</i> , large indigo blue	1	0	8	0				

		Each	Doz.	100
		s. d.	s. d.	s. d.
3490	<i>Brodiaea Howelii</i> . . .	0 8	6 0	
3493	— <i>lactea</i> , white . . .	0 3	2 0	
4392	— <i>multiflora</i> . . .	0 3	2 0	12 0
5088	— <i>peduncularis</i> . . .	0 6	4 0	
3481	— <i>stellaris</i> . . .	0 6	4 0	
3495	†— <i>vulabilis</i> (<i>Stropho-</i> <i>lirion californicum</i>) . . .	0 6	5 0	
	All the <i>Brodiaea</i> flower in June.			
3501	<i>Bulbocodium vernum</i> , lilac rose, in March . . .	1 3	8 0	
3502	— — <i>foliis albo-mar-</i> <i>ginatis</i> . . .	0 6	4 0	
3507	†— <i>Buphane toxicaria</i> . . .	4 0		
3511	<i>Calliprora lutea</i> (<i>flava</i>) golden yellow . . .	0 4	3 0	
	<i>Calochortus</i> or <i>Maripo-</i> <i>salilies</i> , for beauty of color, elegant and graceful habit of the flowers, these hardy little bulbous plants rank amongs, the first of all Califor- nian plants. They flower in May and June, and with a slight protection in winter are perfectly hardy in England.			
3517	†— <i>Bonplandianus</i> . . .	0 6	4 0	
3517	†— <i>citrinus</i> , lemon yellow . . .	0 6	4 0	
3516	†— <i>elegans</i> (<i>Maacea-</i> <i>nus</i> , purple . . .	0 6	4 0	
3518	— <i>Leichtlini</i> , white purple blotch . . .	0 6	4 0	
5076	— <i>lilacina</i> , lilac . . .	0 6	4 0	
5077	— <i>longibarbat</i> . . .	0 9	6 0	
3520	†— <i>luteus</i> , yellow . . .	0 6	4 0	
3521	†— <i>macrocarpus</i> , lilac . . .	0 9	7 6	
3525	†— <i>splendens</i> , lilac, white fringed . . .	0 6	4 0	
3527	†— <i>venustus</i> , pale lilac, maroon blotched . . .	0 6	5 0	
5078	†— — <i>oculatus</i> . . .	0 6	5 0	
5079	†— — <i>purpurascens</i> . . .	0 6	5 0	
	For other varieties, see <i>Cyclobothra</i> .			
3536	<i>Camassia esculenta</i> , purplish blue . . .		1 0 8 0	
3537	— — <i>alba</i> , creamy white . . .	2 0		
3538	— — <i>atrocaerulea</i> . . .		1 0 5 0	
3539	— — <i>nana</i> , deep purplish flowers . . .	0 3	2 0	
3534	— — <i>bicolor</i> , pale lilac . . .	1 0	8 0	
3533	— — <i>congesta</i> . . .	0 6	4 0	
3543	— — <i>Cusickii</i> , vigo- rous, fine violet blue . . .	1 3		
3535	— — <i>erecta</i> . . .	0 3	2 0	
3540	— — <i>violacea</i> major violet blue, ribboned purple . . .	0 6	4 0	
3541	— — <i>Fraseri</i> , lilac . . .	0 6	4 0	
3542	— — <i>præcox</i> , deep blue . . .	0 6	4 0	
	All the <i>Comassias</i> flower in May.			

		Each	Doz.	100
		s. d.	s. d.	s. d.
3545	<i>Canarina campanulata</i> large orange bells, banded red . . .	0 6	4 0	
3565	<i>Chionodoxa gigantea</i> , large, sky blue . . .	0 3	1 0 6 6	
3551	— <i>Lucilliae</i> (<i>Glory of</i> <i>the Snow</i>) (<i>home</i> <i>grown</i>), light azure blue, white centre . . .		0 9 4 0	
3540	— <i>Sardensis</i> (<i>home</i> <i>grown</i>), dark blue . . .		0 9 4 0	
3574	†— <i>Cooperia Drummondii</i> , pretty <i>Amaryllid</i> , white . . .	0 6	4 0	
3575	†— <i>pedunculata</i> , white, sweet scented . . .	0 6	4 0	
3576	<i>Corydalis alpina</i> , amar- anth purple flowers . . .	0 6	3 0	
3581	— <i>cava alba</i> , white . . .	1 0		
3584	— <i>Kolpakowskyana</i> , yellowish brown . . .	1 9		
3585	— <i>Ledebouriana</i> , crea- my white . . .	1 9		
3587	— <i>macrocentra</i> . . .	2 0		
3588	— <i>nobilis</i> , pale yellow . . .	0 6	4 0	
3589	— <i>nudicaulis</i> . . .	1 9		
3592	— <i>persica</i> . . .	1 9		
3593	— <i>Scouleri</i> . . .	0 9		
3590	— <i>Sewerzowi</i> . . .	2 0		
	All the <i>Corydalis</i> flower in Febr.- March, excepting <i>nobilis</i> , which fl. in May.			
3597	†— <i>Crinum aquaticum</i> , (<i>campanulatum</i>) . . .	1 0	8 0	
3598	— <i>capense</i> , <i>s. rong.</i> . . .	0 6	4 0	
3599	— <i>album</i> , white . . .	0 9	6 0	
3601	†— <i>crassifolium</i> , <i>strong</i> <i>bulbs</i> , fine white, sweet-scented . . .	0 9 to 1 6		
3607	†— <i>Kirkii</i> white, red veined . . .	4 0		
3604	— <i>Moorei</i> (<i>Makoya-</i> <i>num</i>), <i>strong</i> , ten- der rose; one of the finest var. . .	1 0 to 3 6		
3605	†— <i>natalense</i> , hand- some, rosy carmine . . .	1 0 8 0		
3606	†— <i>ornatum</i> <i>insigne</i> , large white, sweet- scented . . .	5 0		
	All the <i>Crinum</i> flo- wer from June to Aug.			
3611	<i>Crociris iridiflorus</i> . . .	0 6	4 0	
3620	†— <i>Cyclamen coum</i> . . .	0 9	6 0	
3621	†— — <i>vernum</i> . . .	1 0	8 0	
3623	— <i>europæum</i> , useful for planting under trees . . .	0 3	2 0	
3629	— <i>hederæfolium album</i> . . .	0 6	4 0	
3630	— <i>rubrum</i> . . .	0 3	2 0	
3633	†— <i>hybr. Atkinsii</i> (<i>ibe-</i> <i>ricum album</i>) . . .	0 6	4 0	
3834	†— <i>carneum</i> . . .	0 8	6 0	
3636	†— — <i>ibericum roseum</i> . . .	0 3	2 0	

	Each	Doz.	100		Each	Doz.	100
	s. d.	s. d.	s. d.		s. d.	s. d.	s. d.
3640 †Cyclamen macrophyllum (africanum) in Sept.	1	0	8	0	3755 †Geissorhiza alba . . .	0	9
— persicum, fine-flo- wering bulbs mixed	1	3	12	0	3757 †— rochensis, flowers of a fine deep blue with red centre. . .	0	9
3650 †— repandum (ficarie- folium).	0	6	4	0	3758 †— violacea	0	9
3651 †— — album, these last six varieties flower in April-May	1	0	8	0	The Geissorhiza flo- wer in June.		
3656 †Cyclobothra alba, white drooping flowers . .	0	6	4	0	3762 †Gelasine azurea . . .	1	9
3657 †— lutea, yellow . .	0	3	2	0	3806 †Habranthus advena (Coccineus)	1	3
1 †— pulchella	0	6	5	0	3807 †— pratensis, orange .	2	6
3665 †Cyrtanthus angustifo- lius	1	9			3808 †— roseus, bright rose	0	9
3668 †— Mac Owan, June .	3	6			The Habranthus flower in Aug.-Sept		
3670 Czackia Liliastrium (An- thericum).	0	6	4	0	3811 †Hæmanthus coarctatus	2	0
3680 — — major, similar to small white Li- lies, in June.	0	9	6	0	3812 †— coccineus crinum .	2	0
3681 Dielytra cucullaria, whitish, with brown centre, in May	0	6	4	0	3820 †— puniceus, blood red	2	0
381 — spectabilis	0	6	4	0	3821 †— quadrivalvis . . .	2	6
382 — — flore albo.	2	6			3823 †— tigrinus	2	6
3692 Dodecatheon integrifo- lium, peach color, with orange yellow and brown centre . .	0	6	4	0	3825 †— virescens albiflos .	1	3
3693 — Jeffreyi, large, beautiful carmine . .	0	6	4	0	702 Hoteia japonica (Spirea)		
3695 — Meadia, white, with orange and brown centre	0	6	4	0	703 — — foliis variegatis .	0	9
3696 — — elegans	0	9	6	0	3842 †Hypoxis elegans, May.	0	9
All the Dodecatheon flower in May.					3843 †— erecta, golden yel- low	0	9
3706 Eranthis hyemalis, common Winter- Aconite			0	9	3844 †— stellata, tricolor star-shaped, in May	0	9
3707 †Eremurus Bungei . . .	10	0			3857 †Ixiolirion Pallasii, ma- gnificent, large bluish violet	0	3
— Himalayicus	6	6			3870 †Lachenalia aurea . . .	1	0
3709 †— Olgæ	5	0			3863 †— glaucina	0	9
3708 — robustus	5	0			3862 †— luteola	0	6
The Eremurus belong to the showiest flo- wering herbaceous plants.					3840 †— maculata	0	6
3714 Erythronium america- num (Dogtooth Vio- let)		1	0		5119 †— Nelsoni	1	3
3716 — dens canis flore albo	0	9	4	0	3864 †— pendula tricolor. .	0	6
3717 — — — — majus . . .	0	9	6	0	3865 †— pustullata violacea	0	9
3718 — — — — purpurea . .	0	9	4	0	3869 †— tricolor	0	6
3719 — — — — majus. . .	0	3	1	3	3872 †— versicolor	0	6
3720 — — — — rosea	0	9	4	0	The Lachenalias are largely used for forcing.		
3721 — — — — majus. . .	0	3	1	3	3886 †Leontice Alberti. . . .	2	0
3723 — giganteum	0	6	4	0	3876 †— altaica	1	6
3723 — Hendersonii	1	0	8	0	3875 †— leontopetalum . .	1	6
3724 — Nuttalli	1	9			3878 Leucojum æstivum, May	0	2
3745 Ferraria undulata (Ti- gridia)	0	6	4	0	3879 — autumnale (Acis) .	0	3
3751 †Freesia Leichtlini . . .	1	0	6	0	3881 — pulchellum, yellow very double	0	6
3750 †— — — — major . . .	1	3	8	0	3884 — vernum, snowflake	0	2
3753 †— refracta alba, pure white, sweet-scent- ed			0	9	3893 †Medeola asparagoides	0	6
					3895 Milla biflora, large, star-shaped, pure white	0	6
					3896 — capitata (Brodiea) .	0	2
					3898 — uniflora (Triteleia) .	0	2
					3899 — — violacea (a), por- celain blue flowers Ap.-May	0	3
					3900 Montbretia crocosmiæ- flora, deep orange and yellow		1
					5122 — — auriculæ	1	3
					3894 — — aurea, yellow . .	1	0
					3907 — — Bouquet parfait .	0	2

	Each	Doz.	100	
	s. d.	s. d.	s. d.	
5123 <i>Montbretia Crocosmia-</i>				
flora Ceres.	0 3	2 0	0 6	
5124 — — Eldorado.	0 3	2 0	0 6	
3897 — — elegans, bril-				
liant yellow, effective		0 6	5 0	
3909 — — Etoile de feu.	0 3	2 0	12 0	
3911 — — Gerbe d'or.	0 6	4 6		
3003 — — pyramidalis.	0 3	1 3	8 0	
5125 — — Soleil couchant.	0 3	2 0	12 0	
5126 — — Talisman.	0 6	4 0		
5127 — — Tigridia.	0 3	2 0	12 0	
3901 — — Pottsi, large orange	0 3	1 0	4 0	
5128 — — grandiflora.	0 3	2 0	12 0	
3902 † <i>Morœa edulis</i> , tender				
violet.	0 6	4 0		
3910 † — <i>Sisyrinchium (Irid.)</i>				
a charming sky				
blue, white blot-				
ched.	0 3	2 0		
3913 † <i>Nemastylis geminiflora</i>				
sky blue, in May.	1 0	8 0		
Nerini, see <i>Amaryllis</i> .				
3916 † <i>Ornithogalum arabi-</i>				
cum, white with				
black centre.	0 6	4 0		
3617 † — atticum.	0 6	4 0		
3918 † — aureum, yellow.	1 0	8 0		
3921 — junceum.		1 3		
3928 — nutans.	0 6	4 0		
3931 — pyramidalis.	0 6	4 0		
3937 — umbellatum, <i>Star of</i>				
<i>Bethlehem</i>	0 9	4 0		
All the <i>Ornithogalum</i>				
flower from April				
in June.				
3940 † <i>Ostrowskia magnifica</i>	2 0			
3944 <i>Oxalis arborea</i> , bright				
rose.	0 3	2 0		
5945 — — alba grandiflora,				
large white.	0 6	4 0		
3946 — — carnea, rose.	0 6	4 0		
3947 — — maculata.	0 6	4 0		
3948 † — — lutea, yellow.	1 0			
3949 † — — <i>Ortgiesii</i> , yellow	1 0	8 0		
The <i>Oxalis arborea</i>				
flower from June to				
winter.				
3953 † — bipunctata, deep-red	0 3	1 0	6 0	
3954 † — Bowiei, vivid rose.		0 9	6 0	
3957 † — cernua, canary yel-				
low.		0 9	6 0	
3962 † — digitata.		0 9	6 0	
3965 † — flava, lemon.	0 3	1 3	8 0	
These five sorts flo-				
wer in June.				
3966 — floribunda.	0 3	1 3		
3967 — — alba, white.	0 3	1 3		
3968 — — carnea, rose.	0 3	1 3		
3969 — — and arborea, in				
<i>mixture</i>		1 0	6 0	
3971 — hirta rosea.		0 9	6 0	
3974 — lactiflora, charm.				
white.		0 9	6 0	
3976 — lupinifolia.	0 3	1 0	8 0	
These three species				
flower in June.				
3979 † — rosacea, rose.	0 3			

	Each	Doz.	100	
	s. d.	s. d.	s. d.	
3992 † <i>Oxalis venusta (latifo-</i>				
<i>lia)</i> , bright rose,				
from April to sum-				
mer.	0 3	1 3	8 0	
3993 † — versicolor, white,				
bordered vermi-				
lion. March-April.	0 3	1 3	8 0	
3997 <i>Pancratium illyricum</i>				
(<i>Amaryllidæ</i>), white	1 0	8 0		
3999 — maritimum.	1 0	8 0		
4001 — parviflorum.	1 0	8 0		
These <i>Pancratium</i>				
flower in May.				
4005 † <i>Pelargonium radiatum</i>				
(<i>Geranium</i>), rosy				
lilac.	0 6	4 0		
4004 — triste (*), pale yel-				
low, spotted brown	0 3	2 0		
4024 <i>Polygonatum macro-</i>				
<i>phyllum (Convalla-</i>				
<i>ria)</i>	0 6	4 0		
4025 — multiflorum, whitish	0 3	1 3		
4028 — roseum, flower in				
June.	0 3	2 0		
4034 <i>Puschkinia scilloides</i>	0 3	2 0	12 0	
4031 — sicula, white, lined				
with sky blue.	0 6	4 0		
These two <i>Puschki-</i>				
<i>nia</i> flower in Febr.				
4043 <i>Ranunculus plantagi-</i>				
<i>neus</i> , white in July	1 0	8 0		
4056 <i>Rigidella immaculata</i>	2 0			
4063 <i>Sanguinaria canadensis</i>				
white, in March.	0 3	2 0		
4069 † <i>Schizostylis coccinea</i> ,				
brilliant scarlet, in				
Nov.	0 3	1 3		
4072 <i>Scilla amethystina</i>		0 10	5 0	
4073 — — flore albo, white,				
These two sorts flo-				
wer in May.	0 6	4 0		
4074 — amœna, blue in				
March.	0 3	2 0		
4075 — — præcox, Feb.	0 9	6 0		
4076 — autumnalis blue.	0 3	2 0	12 0	
4079 — bifolia, blue.	0 2	1 0	6 0	
4080 — — alba, white.	0 6	4 0		
4084 — — rosea.	2 6			
All the <i>Scilla bifolia</i>				
are very early-flo-				
wering.				
4087 — campanulata.		0 10	5 0	
4088 — — alba.		0 10	5 0	
4089 — — grandiflora.	0 3	1 3	8 0	
4090 — — rosea.	0 9	5 0		
All the <i>Scilla camp.</i>				
flower in May.				
4093 — ciliaris, July.	1 0	8 0		
4095 — corsica, grey.	1 0	8 0		
4098 — Hohenackeri,				
in March.	0 6	4 0		
4103 — maritima, strong				
bulb, white.	2 0			
4106 — nutans (<i>Agraphis</i>).		0 10	5 0	
4107 — — alba (*).		0 10	5 0	
4108 — — carnea.		0 10	5 0	
4109 — — rosea.	0 9	6 0		

	Each	Doz.	100
	s. d.	s. d.	s. d.
4114 <i>Scilla parviflora</i> , amaranth	0 6	4 0	
4123 — <i>patula rosea</i> , May .	0 6	4 0	
4116 — <i>peruviana</i> (<i>Clusiana</i>), blue	0 9	6 0	
4117 — — <i>alba</i> , white . . .	0 9	6 0	
These two sorts flower in June.			
4121 — <i>sibirica</i> , sky blue . .		0 6 2 6	
1165 <i>Spiræa palmata</i> (<i>lobata</i>)	0 6	4 0	
1172 — — <i>alba</i> , white . . .	1 9		
— <i>japonica</i> , see <i>Hoteia</i> .			
4144 <i>Tecophilæa cyanocrocus</i>	1 9		
4145 — <i>Leichtlini</i> , porcelain and white . .	1 3		
4176 <i>Thalictrum anemonoides</i>	0 9	6 0	
4147 — — <i>flore pleno</i> . . .	1 3		
4172 <i>Trichonema Celsi</i> (<i>Romulca</i>), carmine . . .		1 3	
4173 <i>Trillium atropurpureum</i>	1 0	8 0	
4180 — <i>cernuum</i>	1 0	8 0	
4184 — <i>erythrocarpum</i> . . .	1 0	8 0	
4187 — <i>grandiflorum</i> , white	0 6	4 0	
4190 — <i>ovatum</i>	1 0	8 0	
4191 — <i>pendulum</i> , white . .	1 0	8 0	
4192 — <i>petiolatum</i>	1 0	8 0	
4195 — <i>recurvatum</i> , purple	1 0	8 0	
4197 — <i>sessile</i> , greenish . .	1 0	8 0	
4198 — — <i>var. californicum</i>	1 3		
All these <i>Trillium</i> flower in May.			
4200 <i>Triteleia laxa</i> , violet .	0 3	2 0	
4201 — — <i>major</i> , lilac . . .	1 0	8 0	

	Each	Doz.	100
	s. d.	s. d.	s. d.
4206 <i>Triteleia laxa pallida</i> , porcelain blue . . .	1 0	8 0	
Above <i>Triteleias</i> flower in June.			
4210 † <i>Tropæolum azureum grandiflorum</i> , large pale blue, in March-April	1 9	16 0	
4215 † — <i>brachyceras</i> , golden yellow, in March-April	1 3	12 0	
4217 † — <i>edule</i> , orange, June	2 6		
4221 † — <i>pentaphyllum</i> , flowers deep red, in June-July	1 0	8 0	
4222 — <i>polyphyllum</i> , orange yellow. Extremely free-flowering in June	0 6	4 0	
4227 † — <i>tricolor</i> , in March-April	0 6	4 0	
4236 † <i>Veltheimia capensis</i>	2 9		
4237 † — <i>glauca</i> , lively rose	2 0		
4238 <i>Wachendorfia thyrsiflora</i> , yellow in July	1 0	8 0	
4241 <i>Watsonia coccinea</i> , beautiful cochineal red	0 6	4 0	
4243 — <i>humilis</i>	0 6	4 0	
4245 — <i>iridifolia fulgens</i> , large, orange	0 6	4 0	
4247 — <i>montana</i>	0 6	4 0	
4249 — <i>rosea</i>	0 6	4 0	
All these <i>Watsonias</i> flower in July			
	0 6	4 0	

BULBOUS AND TUBEROUS-ROOTED PLANTS

which can be supplied from October to March.

	Each	Doz.	100
	s. d.	s. d.	s. d.
3345 <i>Amorphophallus Rivieri</i> a handsome & most beautiful Aroid, specially adapted for subtropical planting	2 6		
3395 <i>Arum guttatum</i> (<i>Sauronatum</i>) strong, spathe large, 2 ft in length, horn-shaped, crimson spotted on yellowish ground; spadix long, of a glaucous green with rosy reflex	0 3	1 3 8 0	
3477 <i>Bravoa geminiflora</i> vermillion. July	0 9	6 0	
3552 <i>Calla</i> , see <i>Rickardia</i> .			
<i>Clidanthus fragrans</i> , very sweet-scented, yellow. June . .	0 3	2 0	
3555 <i>Coburgia incarnata</i> . in July	1 0		

	Each	Doz.	100
	s. d.	s. d.	s. d.
3561 <i>Commelina cœlestis</i> , azure blue	0 3	1 3 8 0	
3562 — — <i>flore albo</i>	0 3	2 0 12 0	
3564 — — <i>foliis variegatis</i> , treated same way as Dahlias	0 6	4 0	
3568 <i>Convallaria majalis</i> , see <i>City of the Valley</i> .			
3571 — — <i>Excelsior</i> , pips . .	0 3	2 0	
3569 — — <i>flore pleno</i> , pips .	0 6	4 0	
3570 — — <i>roseo</i>	0 3	2 0	
— — <i>foliis albo varieg.</i>	0 6	4 0	
3612 <i>Crocossmia aurea</i> , orange	0 9	6 0	
<i>Cypella</i> , see <i>Tigridia</i> .			
3615 <i>Cucurbita perennis</i> , a hardy perennial Pumpkin	1 0		
3636 <i>Dioscorea Batatas</i> , Ighame of China . .		1 3	
3735 <i>Eucomis punctata</i> , strong, pretty	0 6	4 0	
3736 — <i>regia</i>	0 9	6 0	

	Each s. d.	Doz. s. d.	100 s. d.		Each s. d.	Doz. s. d.	100 s. d.
3737 <i>Eucomis species nova</i> , greenish yellow. Above flower in Aug.- September.				4153 <i>Tigridia cœlestis</i> (<i>Pha- locallis plumbea</i>) blue.	0	6	4 0
3834 <i>Galtonia candicans</i> (<i>Hyacinthus</i>), white in July-Aug. strong bulbs.		1 0	6 0	3660 — <i>Herberti</i> (<i>Cypella</i>) copper yellow, flower- ing all the summer.	0	6	4 0
3851 <i>Ismene calathina</i>	0 6	4 0		4155 — <i>Pavonia alba</i> , white	0	3	1 3 8 0
3975 <i>Oxalis lasiandra</i> , rose		0 9	4 0	4156 — — lilacea, pale li- lac	0	3	1 3
3990 — <i>tetraphylla</i> , July- Aug.		0 9	4 0	4160 — — rosea, rose	0	3	2 0 12 0
4011 <i>Phædranassa chloracea</i> fine red with green tips	0 3	2 0		4158 — — speciosa, splen- did red; yellow cen- tre, dark red blot- ched	0	3	1 3 8 0
4017 <i>Polianthes tuberosa</i> , see <i>Tuberoses</i> .				4159 — — <i>conchiflora</i> , beau- tiful yellow, spot- ted purple.	0	3	1 3 3 0
4019 — — <i>foliis variegatis</i>	1 3	10 6		Last three sorts flower in Aug.-Sept.			
4049 <i>Richardia africana</i> (<i>Calla æthiopica</i>).	0 6	4 0		4162 — <i>Van Houttei</i> (<i>Hy- drotanea</i>), small flower, greyish black	1	0	3 0
4053 — — <i>grandiflora</i>	1 3			4225 <i>Tropæolum speciosum</i> , large, lively scarlet, Aug.-Sept.	0	6	4 0
4051 — — Little Gem	0 6	4 0		4251 <i>Zephyranthes Atamasco</i> (<i>Amaryllis</i>) (true).	0	3	7 6
4050 — <i>albo-maculata</i>	0 3	2 0		4253 — <i>candida</i> , white	0	3	2 0
4054 — <i>aurata</i> , yellow	4 0			4254 + — <i>carinata</i>	1	0	3 0
4053 — <i>hastata</i> , yellow	2 6			4261 + — <i>sulphurea</i> white, blotched purple.	1	0	3 0
4125 <i>Sprekelia formosissima</i> (<i>Amaryllis</i>).	0 6	4 0		Above varieties are autumn-flowering.			
An <i>Amaryllis</i> of very easy culture and suitable also for forcing in Hyacinth glasses. Most beau- tiful, fiery crimson				4264 — <i>Texana</i>	0	6	5 0
4126 — — <i>glaucæ</i> , bright red. These <i>Spreke- lias</i> flower in June	0 6	4 0		4262 — <i>Triatiæ</i> white.	0	6	4 0
4129 <i>Stenomesson aurantiacum</i> . Flowering in June	0 6	4 0		4258 — <i>verecunda</i> , white. Above varieties are spring-flowering	0	6	4 0

55 In ordering, it is sufficient to mention ONLY THE NUMBERS of the varieties required; the GENERIC NAME of plants must be stated as also the NUMBER of the Catalogue.

HARDY GHENT AZALEAS

Prizes awarded at the Great International Exhibitions of Antwerp, Brussels, Ghent, etc.

CAN BE SUPPLIED FROM SEPTEMBER TO MARCH.

LATEST NOVELTIES — SINGLE FLOWERED

The following ten new varieties were raised by us; they have large and perfect-shaped flowers, almost entirely white which is very rare in this section. — Many well-known judges, who have seen these novelties, unanimously declare them to be out of the ordinary strain.

Purchaser's selection, each: 1/9, — The 10 varieties: 15/.

- | | |
|--|--|
| 104 <i>Félicie Decamps</i> (<i>L. Van Houtte</i>), large truss, creamy white flowers blotched tender yellow. | 105 <i>Mad. J. Cumont de Craecker</i> (<i>L. V. H.</i>), large truss with large white flowers, shaded tender flesh, slightly blotched with yellow. |
|--|--|

- 101 Mad. Jules Grisar (*L. V. H.*), large truss, white, slightly tinted with rose.
- 102 Mad. Ernest Gravis (•), large bouquet of white flowers, blotched lively red od one pétal.
- 103 Mad. Max. Singer (•), large truss. white flowers, shaded tender flesh and blotched with golden yellow.
- 106 Madem. Marie Audent (•), large truss, rosy blotched yellow.

- 107 M. Joseph Rizzardi (*L. V H*), large flowers, pale yellow, blotched golden yellow.
- 109 Comte Ernest Turati (•), tender incarnate, with large blotched on one of the petals, prise bouquet.
- 110 M. Luigi Peralto (•), large white, blotched lively golden yellow.
- 111 M. Glazion (•), Big truss of large flowers white, profusely spotted with golden yellow.

CHOICE SINGLE-FLOWERED — BUSHY PLANTS WITH BUDS

Each variety purchaser's selection. 1/3

12 fine varieties, our selection: 12/. — 25: 24/.

Specimen plants for exhibitions, covered with buds, 20 to 30 inch diam. from 10/6 to 63/ each.

- 38 Antoinette, lively red, spotted greenish yellow.
- 4 Ardentissima, deep vermilion, lively red in the centre.
- 68 Aurea-rosea, orange, shaded salmon red and spotted chrome yellow.
- 63 Faron G. Pycke, deep nankeen yellow spotted with deep orange.
- 66 Beauté de Flandre, salmon red, spotted dark yellow.
- 41 Bijou des amateurs, bright magenta rose, shaded deep yellow.
- 73 Bouquet de Flore, salmon rose, striated white, upper petals spotted orange.
- 73 Canari, canary yellow, spotted petals red.
- 87 Capitata incarnata.
- 88 Charles Baumann, cherry, spotted orange.
- 30 Comte de Flandre, dark carmine.
- 3 Decus hortorum, salmon red, spotted chrome yellow edged blood red.
- 82 Dr Auguste Cambier (*L. Van Houtte*), salmon red, tinted violet, spotted bright orange.
- 81 Domenico Scassi (•), salmon rose, tinted white, blotched chrome yellow.
- 18 Etendard, vermilion, heavily blotched lively orange.
- 77 Eugénie, blood red, shaded crimson.
- 90 Fama, crimson shaded violet.
- 83 Fidèle Mechelynck (*L. Van Houtte*), rose, shaded salmon red, blotched chrome yellow.
- 11 Florentine, light nankeen yellow, shaded salmon red, spotted ochre yellow.
- 48 Gloire de Belgique, flesh-coloured rose, shaded white, spotted saffron yellow.
- 1 Gloria mundi, vermilion, upper divisions spotted apricot yellow.
- 93 Graf Alfred von Niepperg, salmon red, blotched yellow.
- 43 Grandeur triomphante, deep amaranth, shaded orange.
- 94 Grand monarque, salmon red, shaded with orange.
- 7 Guillaume II, bright orange, spotted deep orange, white tipped.
- 46 Heuruse surprise, creamy white, shaded lively rose, spotted dark nankeen yellow.
- 49 Imperator, light salmon red, blotched yellow.
- 53 Jenny Lind, nankeen yellow, the upper petals golden yellow.
- 95 Joséphine Klinger, crimson, spotted white.
- 51 La surprise, orange red blotched salmon yellow.
- 79 Louis Hellebuyck (*L. Van Houtte*), fiery vermilion, shaded orange.
- 97 Lurida.
- 45 Mad. Gustave Guilmot (*L. Van Houtte*), bright rose, shaded blood red, spotted yellow.
- 69 Marie de Pourgoigne, flesh colour dark nankeen blotched.
- 10 Marie Dorothea, flesh-coloured, edged rose, upper divisions spotted lemon yellow.
- 42 Marie Verschaffelt, rose, blotched golden yellow.
- 34 Météore, blotched deep yellow.
- 75 Miniata floribunda, venetian red, upper petals spotted orange.
- 62 Norbert Cornelissen, bright nankeen yellow, spotted deep orange.
- 2 Optima.
- 22 Perle du Printemps, violet rose, slightly spotted coppery yellow.
- 6 Prince Henri des Pays-Bas, large truss and flowers, blood red.
- 9 Queen Victoria, magenta rose, shaded white and spotted lively orange.
- 59 Rembrandt, crimson, shaded violet.
- 52 Roi des Belges, peach red, the upper divisions slightly yellow.
- 80 Rose de Flandre (*L. Van Houtte*), lively rose, flaked white, blotched bright orange.
- 86 Sang de Gendbrugge (*L. Van Houtte*), blood red, shaded with crimson, blotch fiery red.
- 20 Sully, orange shaded salmon red, changing to lively orange.
- 57 Unique, nankeen yellow, shaded orange, upper petals yellow.
- 16 Van Dyck, blood red.

CHOICE DOUBLE-FLOWERED BUSHY PLANTS WITH BUDS

Each variety, purchasers selection		1	9
12 fine varieties, our selection		18	0
141	<i>Arethusa (Rinz)</i> , creamy white, light nankeen flaked.	153	<i>Mina Van Houtte (L. Van Houtte)</i> , immense truss of large flowers, of a beautiful rose, shaded salmon, centre of exterior petals flaked white.
142	<i>Bartollo Lazzari (*)</i> , flesh coloured.	147	<i>Narcissiflora (Rinz)</i> , large truss, medium-sized flowers, clear yellow.
152	<i>Bijou de Gendbrugge (L. Van Houtte)</i> , strong truss of large flowers, pure white, bordered lively rose.	149	<i>Rosette (*)</i> , fine carmine rose, shaded white, lively carmine centre.
150	<i>Graf von Méran (*)</i> , pink.	151	<i>Van Houttei flore pleno (L. Van Houtte)</i> , a very free-flowering variety. Bright salmon red, spotted golden yellow upon the upper divisions, very large truss of fine double flowers.
144	<i>Héroïne (Rinz)</i> , tender lilac rose, shaded chamois yellow, carmine centre.	<i>Extra strong plants, 6 to 8 years old.</i>	
145	<i>Leibnitz (*)</i> , yellowish white, shaded slate-blue, bordered carmine red.	<i>about 3 feet high and 2 1/2 feet in diameter,</i>	
154	<i>Louis A. Van Houtte (L. Van Houtte)</i> , large truss of large flowers, vermillion red, centre of petals banded orange.	<i>full of buds, each: 12/.</i>	
146	<i>Maja (Rinz)</i> , lilac rose, shaded creamy white and spotted yellow.		

OTHER HARDY AZALEAS — IN BUD

	Each—s. d.		Each—s. d.
168	<i>Alice Baumann</i>	2	0
165	<i>Arborescens (Spec.)</i>	1	9
164	<i>Daviesi (Isaac Davies)</i> , flowers large, pure white, yellow blotched	1	4
162	<i>Fritz Quihou (Quihou)</i> , of the most beautiful deep red.	1	3
161	<i>Guellder Roos</i> , large, truss, bright orange, spotted chrome yellow	1	3
163	<i>Nancy Waterer (Waterer)</i> , nankeen yellow, deep yellow blotched.	1	3
169	<i>occidentalis</i>	2	0
166	<i>sinensis flore albo</i>	2	0

AZALEA MOLLIS

Large brilliant colored, of various shades, perfect in habit, first rate for forcing and perfectly hardy.

CAN BE SUPPLIED FROM SEPTEMBER TILL MARCH

<i>Strong plants in bud</i>		Each	1/3
<i>Per dozen, our selection.</i>			12/0
171	<i>Alphonse Lavallée (L. Van Houtte)</i> , lively orange, shaded scarlet, spotted lemon yellow.	180	<i>Consul Cerezoie (L. Van Houtte)</i> , light red, shaded coppery rose and blotched lively orange.
187	<i>Arthur de Warelles (*)</i> , salmon red, spotted orange	181	<i>Consul Pêcher (*)</i> , lively rose, spotted with dark orange.
172	<i>Baron de Constant Rebecque (*)</i> , dark nankeen yellow spotted lively orange.	182	<i>Dr Léon Vignes (*)</i> , white, shaded nankeen yellow and spotted orange.
173	<i>Baron Edmond de Rothschild (*)</i> , red heavily spotted orange yellow.	189	<i>Ernest Bach (*)</i> , clear salmon rose, shaded orange and olive green blotch.
174	<i>Charles Kékule (*)</i> , orange salmon red, edged, spotted rose orange.	175	<i>François Luppis (*)</i> , rose, shaded magenta red and spotted orange.
176	<i>Chevalier A. de Reali (*)</i> , straw yellow, spotted orange.	184	<i>Isabelle Van Houtte (*)</i> , beautiful dark nankeen yellow, spotted orange.
177	<i>Comte Papadopolis (*)</i> , fine rose, shaded orange and spotted deep orange.	185	<i>Mad. Caroline Legrelle-Dhanis (*)</i> , rose, shaded salmon red.
178	<i>Comte de Gomer (*)</i> , beautiful lively rose, orange spotted.	188	<i>W. E. Gumbleton (*)</i> , bright nankeen yellow, spotted olive.
179	<i>Comte de Quincy (*)</i> , bright yellow, shaded golden yellow and spotted orange.		

NEW DOUBLE-FLOWERING AZALEA MOLLIS, HYBRIDS (HARDY)

The above having been awarded **FIRST PRIZES** at the International Exhibitions at Paris, Berlin and Ghent, can be recommended with every confidence. For their vigorous growth, easy and early abundance of flowers of a delicious perfume and great variation in colours; they are not surpassed in beauty by any other hardy plant.

Price, each : 2/6, 3/3 and 4/0. — Per dozen, in 18 varieties : 24/0, 33/0 and 42/0.

- | | |
|---|---|
| 801 Adriadne , double, white, with rosy purple reflex. | 810 Mécène , white veined rosy lilac, slightly spotted orange on nankeen ground |
| 802 Aida , very double, beautiful pale rose, lower petals bright rose edged and blotched intense orange. | 804 Murillo , wonderful blooms of flesh rose and purple shaded pale rose. |
| 803 Apelles , tender grenate, shaded pale rose on darker ground and slightly marked red and yellow. | 811 Norma , flesh colored, fimbriated, shaded light rose. |
| 817 Byron , pure white, wavy and crested petals; a round-shaped flower. | 812 Phébé , fimbriated, nankeen shaded orange. |
| 807 Flora , double, shaded tender rose on rosy yellow ground. | 814 Phidias , outer petals rosy white with canary yellow reflex, inner petals shaded flesh on yellow ground. |
| 806 Freya , very double, mauve on yellow and orange ground, bordered tender lilac. | 816 Praxitéle , white slightly shaded yellow towards the centre, and rosy on the upper divisions. |
| 805 Il Tasso , flowers bright red with rosy reflex, imbricated, the upper divisions marked pale rose on darker ground. | 808 Ribeira , very sweet-scented, delicate flesh. |
| 815 Le Titien , cream colored, fimbriated and edged pale rose, centre white, shaded canary yellow. | 809 Velasquez , creamy white edged, salmon orange, upper petals slightly flesh shaded. |
| | 813 Virgile , pale rose, striped yellow in the centre, reflexed nankeen. |

AZALEA MOLLIS SEEDLINGS

fine varieties in mixture, rose, carmine, salmon, red, orange, nankeen, lemon, straw and chrome yellow, etc.

Bushy Plants, in bud 10/6, 12/0 to 18/0 per dozen.

AZALEA INDICA

CAN BE SUPPLIED FROM THE MIDDLE OF SEPTEMBER TILL MARCH.

NOVELTIES OF RECENT INTRODUCTION

- | | |
|---|--|
| 515 CHICAGO (<i>L. Van Houtte</i>), very large, perfect and very double of a deep carmine, bordered clearly white. This variety gained the unanimous admiration at the Ghent International Exhibition and is, without doubt, one of the very finest and most valuable varieties ever placed in the market. | 513 Mad. la Vtesse de Thieusies (<i>L. V. Houtte</i>), very large, double, wavy petalled, purplish carmine with large vermilion blotch. |
| | 514 Remembrance of Stephenson Clarke (»), large well-shaped semi-double flower of a clear purplish carmine with a distinct brown blotch. |

Any of the above, medium-sized, each : 2/6. — The three : 6/6. — Stronger plants, each : 5/0.
The three : 12/0.

NOVELTIES OF FORMER DATES

- | | |
|---|---|
| 510 Aristakes Azarian Effendi (<i>L. V. Houtte</i>), large single well-made flower beautiful flesh colour bordered white, brilliant carmine blotch, of lively colouring. | 509 M. J. de Fortanier (<i>L. Van Houtte</i>), very double, borders of petals undulated, brilliant cherry red with a brown red blotch. |
| 507 Carl Kirsten (»), large single flower, undulated and crisped lobes, beautiful lively lake carmine red. | 508 Souvenir du duc d'Albany (»), very large semi-double pure white flower silky petals with a very slight greenish blotch. |

Medium-sized, with buds, each : 1/9. — Extra strong, each : 3/6.

Medium-sized, wit h buds, the four : 6/0. — Extra strong, the four : 12/0.

A selection of the best varieties

Nice plants, well set, with buds, each : 1/0.

Strong bushy plants, with buds, purchasers selection, each : 1/9.

- 238 A. Borsig (*Mardner*), a splendid variety for forcing.
- 522 Alba.
- 295 Alba speciosa plena (*L. Van Houtte*), splendid alabaster white.
- 497 Alfred Vernimmen (•), large undulated flower, scarlet carmine red.
- 326 Anna Klein, pure white.
- 265 Apollon, large pure white.
- 450 Archiduc Ernest (•), large and single, lively salmon carmine, maroon blotched.
- 495 Auguste Duhayon (•), medium semi-double flower, slight rose striped, green blotch; free-flowering.
- 271 Baron de Vrière (•), snow white, banded poppy red; sulphur yellow blotched.
- 213 Baron Nathaniel de Rotschild (•), very large double, rich violet purple, fine blood red blotched.
- 220 Bernhard Andreas (*Mardner*), bright rose, very double, one of the best.
- 247 Bernard Andreas alba (*A. Versch.*), double white, strong; very fine for Easter forcing.
- 201 B. S. Williams (*L. Van Houtte*), single, very large, 4 inches in diameter, round, rich rosy crimson petalled, blood red.
- 330 Camille Vervaene, lively red shaded violet.
- 337 Cérés, white, striped rose.
- 463 Chas. C. Brigham (•), Medium-size of good shape, borders of petals undulated, brilliant orange carmine with a blood red blotch. Very free flowering.
- 267 Charles Leirens (•), semi-double, dark salmon red, black blotch.
- 285 Cocarde Orange (*E. Van Copp.*), pure orange with amaranth red blotch.
- 304 Comte Charles de Kerchove de Dentergem (*L. Van Houtte*), large single, light rose, bordered with white, striped and spotted carmine.
- 303 Comte de Chambord (*Apers*), salmon rose, striped and bordered pure white.
- 347 Comte de la Torre (*L. Van Houtte*), large flower of perfect shape well-rounded petals, tender rose, blotched deep carmine upon the upper lobes, large pure white bordered.
- 203 Comte de Paris (•), single, round petalled, forming so to say a pink star in the centre of the flowers along the middle of each petal, broadly edged white.
- 83 Comte Ernest Turati (•), very large, single glossy purplish carmine, brown red blotched.
- 375 Comtesse de Beaufort (•), lively rose, deep crimson blotched.
- 273 Comtesse Eugénie de Kerchove (•), pure white, banded and striped cherry red.
- 496 Comtesse Vitzthum (•), enormous flower 5 inches in diameter, pure white with a greenish yellow blotch in the centre.
- 206 Czar Alexander III (*L. Van Houtte*), large double, deep carmine, the three upper divisions blood red blotched.
- 311 Deutsche Perle (*J. Rose*), double pure white, excellent for bouquets, very early.
- 282 Dr D Moore (*L. Van Houtte*), lively rose, white and violet reflex, very beautiful.
- 204 Duc de Cumberland (•), semi-double, flesh-coloured, edged lilac, striped deep carmine.
- 222 Duc de Nassau (*Mardner*), dark rosy carmine, large, semi-double.
- 293 Duchesse de Fernan Nunez (*L. V. Houtte*) white, sometimes spotted carmine.
- 321 Eborina plena (*Boelens*), double, white, slightly shaded yellow.
- 328 Elisa Lieber, white regularly striped violet, veins greenish.
- 301 Empereur du Brésil (*J. Versch.*), double rose, washed and striped with deep rose and white.
- Fielders white.
- 232 Flag of Truce (*F. A. Smith*), white, very large and double, very fine.
- 243 François De Vos (*A. Versch.*), orange red, semi-double.
- 245 Hermann Seidel (*Liebig*), double, lively rose shaded poppy colour.
- 524 Hermione.
- 470 Hermosa, double, pale rose.
- 316 Impératrice des Indes (*A. V. G.*), salmon rose, festooned white and dark carmine.
- 331 Johanna Gotschalck, double white, perfect round flower.
- 210 John Hawkesworth (*L. V. H.*), double, fine shaped, round petals, handsome fiery red, deep blood red blotched.
- 446 John D. T. Llewelyn (•), large and double, tender flesh-colour, bordered white, exterior petals flat, interior ones crested, all lively carmine blotched.
- 258 Juliette (•), double, lively rose.
- 382 Königin des Weissen, alabaster white.
- 288 Flambeau (*D. Verv.*), deep carmine.
- 289 Louis Lubbers (*L. Van Houtte*), orange red, large dark crimson blotch.
- 391 Louis Pynaert, double white.
- 518 Luna, double, silver white, rose striped.
- 305 Mad. Aldebert (•), snow white, throat dotted with sulphur yellow.
- 259 Mad. Camille Van Langenhove (•), snow white, striped salmon red, full.
- 269 Mad. Charles Van Eeckhoute (•), snow white, double.
- 300 Mad. de Grévé (*Vanderc.*), single, lively flesh colored, bordered white, carmine blotched.
- 215 Mad. de Kerchove-Lippens (*L. V. Houtte*), very free-flowering undulated, edged white, shaded tender flesh, carmine blotched.
- 343 Mad. Emma Eilers (•), double, crimson rose.

- 211 **Mad. Estelle Cuvelier** (*L. Van Houtte*), semi-double, white, entirely spotted and striped light carmine.
- 480 **Mad. Félicie Eulaert** (*), double, purplish rose maroon blotch.
- 223 **Mad. Hermann Seidel.**
- 261 **Mad. Iris Lefebvre** (*), double, dark orange, broad blotch.
- 216 **Mad. J. E. Planchon** (*), white, striped and spotted lively rose, sulphur yellow blotched.
- 489 **Mad. la Baronne du Puynode** (*), large single white, slightly striped and entirely covered with small carnation blotches; very free-flowering variety.
- 290 **Mad. L. Van Houtte** (*), scarlet rose, bordered snow white, amaranth blotch.
- 218 **Mad. Marie Rosseel** (*Rosseel*), double, lively flesh-rose colour, shaded white.
- 472 **Mad. Montefiore Levi B. schoffsheim** (*L. V. H.*), very large, single, of excellent shape and very free-flowering, light purplish carmine
- 240 **Mad. Paul De Schryver** (*L. De Schryver*), double red.
- 241 **Mad. Vandercruyssen** (*Vanderc.*), lively rose, large blotch, one of the best for forcing.
- 449 **Mad. Van Wassenhove-Van Houtte** (*L. V. H.*), large single, lively flesh colour, bordered pure white, deep carmine blotched; very free-flowering.
- 262 **Madem. Alice Guilmot** (*), double, lively rose, vermilion blotched.
- 491 **Madem. Bertha Fröbel** (*), very large, flat, rounded, slightly undulated, satin white.
- 217 **Madem. Clem. Ville** (*), large perfect shape, pure white, regularly tinted rose on the centre of each petal; amaranth blotched.
- 437 **Madem. Emilie Lefebvre** (*), double, salmon shaded white, salmon red blotched.
- 400 **Madem. Fernande du Puynode** (*), large semi-double flower, white, olive green blotched.
- 266 **Madem. Léonie Van Houtte** (*), white, flaked rose, sulphur yellow blotch; a late and first class variety.
- 277 **Madem. Louise de Kerchove** (*), flesh-coloured, flaked orange and snow white.
- 263 **Madem. Marie Lefebvre** (*), white, of extraordinary size and shape.
- 292 **Madem. Marie Planchon** (*), semi-double, snow white.
- 230 **Madem. Marie Van Houtte** (*), semi-double, white, striped rosy salmon.
- 335 **Marquis de la Puente** (*), semi-double, light salmon red, upper petals blotched deep purple.
- 278 **Marquis of Lorne** (*), beautiful orange, saffron yellow blotch.
- 306 **Mémoire de Louis Van Houtte** (*), large double flower 5 inches in diameter, brilliant rose with bluish reflex, upper divisions deep carmine blotched.
- 254 **Météore** (*), bright rose, very double.
- 346 **Miss E. Jarret** (*L. Van Houtte*), very large, single, pure white with undulated divisions, resembling the magnificent *Rhododendrum Veitchianum*.
- 478 **M. A. George-Massonnais** (*), semi-double, bordered light salmon, carmine blotched.
- 448 **M. J. Freeman** (*), large single flower, borders of petals undulated, copper red and large blood red blotched, sometimes comes with perfect double flowers.
- 476 **M. L. de Kondekoff** (*), double, bordered violet, carmine blotched.
- 270 **M. Oswald de Kerchove** (*), lively lake rose, fiery red blotch.
- 397 **Niobé**, double, pure white.
- 332 **Oberst von Kutzinski**, very large, brilliant scarlet, double.
- 473 **Oillet parfait** (*), very double, fimbriated, spotted and slightly striped on white ground.
- 517 **Othello**, double, brick red.
- 228 **Pauline Mardner** (*Mardner*), large double, lively rose.
- 526 **Pharailde Mathilde.**
- 465 **Perle de Gendbrugge** (*L. V. H.*), large double, well made flower pure white, an improved *Deutsche Perle*.
- 317 **Phœbus** (*Boelens*), white double, upper petals amaranth, lower ones orange vermilion.
- 257 **Président Ed. de Ghellinck de Walle** (*L. V. H.*), double, lively rose, brilliant carmine blotched.
- 485 **Président Oswald de Kerchove**, semi-double, pink edged white, carmine blotched.
- 440 **Prince Rodolphe** (*), large double, splendid salmon scarlet.
- 464 **Princesse Béatrice** (*), large double, pure white, at times pale rose striped.
- 281 **Princesse Louise** (*), bright tender rose, festooned pure white, carmine blotched.
- 208 **Princesse Victoria** (*), large, double, undulated, resembling a hollyhock, lively flesh coloured, bordered white.
- 492 **Professor Wolters.**
- 286 **Raphael**, very double, white.
- 299 **Reine de Portugal** (*J. Versch.*), double white.
- 487 **Reine des Amateurs**, soft rosy lilac blotched carmine, bordered white.
- 291 **Remembrance of Lady Florence Hastings** (*L. V. H.*), very fine, pure white.
- 242 **Roi de Hollande** (*D. Verv.*), orange, saffron blotch.
- 234 **Roi des beautés** (*sic*), rose, festooned snow white.
- 322 **Sacountala** (*Boelens*), excellent for market. Very large double, alabaster white.
- 276 **Sigismund Rucker** (*L. V. H.*), lilac rose, bordered white, saffron red blotch.
- 460 **Simon Mardner.**
- 209 **Souvenir d'Arthur Veitch** (*), very large single, undulated, edged satiny crimson, blotched dark blood red.

- | | |
|---|--|
| <p>334 <i>Souvenir de François Vervaene</i>, white, semi-double, sometimes striped rose free-flowering and excellent for forcing.</p> <p>474 <i>Souvenir de Gordon</i> (<i>L. V. H.</i>), medium-sized semi-double, vermillion, deep blood red blotched.</p> <p>235 <i>Souvenir du Prince Albert</i> (<i>J. Versch.</i>), double rose, edged pure white.</p> <p>516 <i>Souvenir du Prince Baudouin</i> (<i>L. V. H.</i>), very large semi-double, tender rose; upper petals purplish blue, dark carmine blotched.</p> | <p>345 <i>Souvenir du Prince Henri</i> (<i>L. V. H.</i>), large semi-double, undulated lively carmine rose, deepening towards the edges, deep carmine blotched.</p> <p>246 <i>Superba</i> (<i>Liebig</i>), bright red</p> <p>205 <i>Théodore Reimers</i> (<i>L. V. H.</i>), large, beautiful magenta.</p> <p>297 <i>Versicolor</i> (*), single white, striped and sprinkled carmine.</p> <p>432 <i>Vervaencana</i>.</p> <p>447 <i>Victor Cuvelier</i> (*), large single, reflexed bluish violet, lively maroon blotch; free-flowering.</p> |
|---|--|

CAMELLIAS

CAN BE SUPPLIED FROM SEPTEMBER TILL MARCH

Our collection comprises only varieties which have been proved as the most distinct in coloring, shape of flowers and of good habit.

SELECTION OF THE CHOICEST VARIETIES

Good plants with buds, each : 1/9 — per dozen : 18/0.

- | | |
|---|---|
| <p>3 <i>Alba Casoretti</i>, pure white.</p> <p>5 <i>Alba plena</i>, large well-imbricated, pure white.</p> <p>694 <i>Andrea Spinola</i>, imbricated, lively cherry rose, slightly reticulated dark red.</p> <p>515 <i>Angela Cocchi</i>, white, maculated and striped sometimes with light red, sometimes with blood red.</p> <p>11 <i>Antonietta Lomellini</i>, well-imbricated, ranunculus-shaped, rose, white flamed.</p> <p>17 <i>Auguste Delfosse</i>, ranunculus-shaped, bright reddish orange with occasional stripes along the centre of the petals.</p> <p>902 <i>Baronne Leguay</i>, white, with dark red.</p> <p>23 <i>Bella d'Ardiglione</i>, Pyramid-shaped, and imbricated; the outer petals light cherry red, the inner and centre ones lavender, shaded rose.</p> <p>29 <i>Belle Jeannette</i>, imbricated, bright rosy salmon, banded white.</p> <p>43 <i>Candidissima</i>, pure white, imbricated.</p> <p>474 <i>Chandleri elegans</i>, Pæony-shaped, fine red, a very fine variety.</p> <p>1094 <i>Clémentine Vignola</i>, well-rounded shape, lively cherry red.</p> <p>1073 <i>C. M. Hovey</i>, imbricated, lively crimson scarlet. — 2/6.</p> <p>499 <i>Colletti</i>, red, white blotched.</p> <p>56 <i>Commendatore Betti</i>, very large and, beautifully imbricated, bright rose.</p> <p>311 <i>Comte de Hainaut</i>, fine rose, veined deep rose, imbricated.</p> <p>322 <i>Contessa Adelaide Medici Spada</i>, ranunculus-shaped, light pink, white edged.</p> <p>64 <i>Contessa Lavinia Maggi</i>, early flowering, minutely spotted white and flaked rosy cherry red.</p> <p>339 <i>Contessa Paolina Guicciardini</i>, imbricated, cup-shaped, white, lightly tinted soft carnation red.</p> | <p>68 <i>Contessa Paolina Maggi</i>, transparent waxy white, imbricated, sometimes of a fine pure rose.</p> <p>73 <i>Corradino</i>, rose, veined with salmon red, imbricated; the centre is of a delicate bluish, the whole suffused with white.</p> <p>77 <i>Countess of Orkney</i>, petals broad, pure white, striped with carmine, shaded sometimes deep rose.</p> <p>831 <i>Dante</i>, medium-sized, imbricated, pure white, shaded rose.</p> <p>341 <i>Dr Boisduval</i>, imbricated, satiny rose, edged tender pink, centre irregularly striped white.</p> <p>92 <i>Donkelaari</i>, semi-double, light red spotted white.</p> <p>67 <i>Duchess of Buccleugh</i>, imbricated, striped rosy carmine.</p> <p>99 <i>Duchesse de Berry</i>, white, fine form, the most beautiful of all the imbricated varieties.</p> <p>1085 <i>Eloina Delli</i>, imbricated, lively carnation red streaked cherry red, the petals bordered white. — 2/6.</p> <p>103 <i>Emilia Gavazzi</i>, imbricated, rosy white spotted and striped carmine, yellow centre.</p> <p>106 <i>Fanny Bollis</i>, very full pale carnation, streaked with blood red and finely imbricated.</p> <p>110 <i>Festiva</i>, imbricated, light cherry red, edges faintly marked white.</p> <p>111 <i>Fimbriata alba</i>, white beautiful fringed.</p> <p>707 <i>Frans Van Damme</i>, large dark rose striped white imbricated.</p> <p>1105 <i>Frans Van der Bom</i>, imbricated, rosy white with vermillion blotches</p> <p>532 <i>Giardino Santarelli</i>, imbricated, lively rose, blotched white.</p> <p>356 <i>Giovanni Santarelli</i>, rose flaked white.</p> <p>135 <i>Il Cygno</i>, pure white.</p> |
|---|---|

- 137 *Imbricata*, deep carmine, sometimes handsomely variegated.
- 297 *Iride*, bright rose, veined and imbricated.
- 145 *Jeffersoni*, superbly imbricated, bright red, narrow white band running down the centre of each petal.
- 1093 *Jubilee* (*L. V. H.*), medium-sized, rose striped white, beautiful.
- 147 *Jubilee*, imbricated, broad and well-rounded petals, white, lightly speckled rose, centre creamy white.
- 152 *Lemichozi*, very large, imbricated red.
- 153 *Léon Leguay*, imbricated, red shaded poppy-coloured beautifully fringed red edged.
- 298 *Leopold 1^{er}*, imbricated, *Centifolia Rose* shaped, lively dark crimson.
- 480 *Mad. A. Verschaffelt*, splendid variety, petals round, white, banded vermilion carmine.
- 803 *Mad. Cachet*, imbricated, large, white, tinted with carnation red.
- 164 *Mad. de Strekaloff*, tender rose broadly striped creamy white.
- 167 *Mad. Lebois*, bright rose, imbricated.
- 1092 *Mad. Linden*.
- 1060 *Mad. L. Van Houtte* (*L. Van Houtte*), a first class novelty. Very handsome and large well imbricated flower, finest flesh colour, edged with white and reticulated with light carmine.
- 168 *Mad. Pepin*, imbricated, bright cherry red, centre tender rose.
- 1070 *Mad. Verhaeghe de Nayer* (*), ranunculus-shaped white, shaded rose and bordered pure white.
- 1874 *Mad. Léonie Van Houtte*, beautiful, flesh-rose, imbricated.
- 174 *Maidens Blush* (*Lady Humes Blush*), see *Garden*, feb. 1st 1896, very large, imbricated, deep rose, very full.
- 179 *Marchioness of Exeter*, imbricated rosy white.
- 183 *Maria Morren*, bright carmine, sometimes spotted with white, petals rounded and imbricated.
- 1091 *Mariana Gaeta*, imbricated, deep red. 1/9.
- 186 *Mathotiana*, imbricated, ranunculus-shaped, petals large, round, fiery red.
- 187 *Mathotiana alba*, pure white, imbricated, one of the *best* whites.
- 189 *Mexicana nova*, cockade-shaped, imbricated deep rose white banded.
- 1072 *Mrs. Annie Mary Hovey*. — 2'.
- 193 *Mrs. Cope*, white, tinted pink, striped and speckled with rose.
- 308 *Nicholsoni*, carnation-coloured, flaked and veined rose.
- 205 *Ninfa Egria*, imbricated, lemon centre.
- 641 *Nobilissima*, white; early flowering. excellent for bouquets.
- 675 *Palazzo Tursi*, imbricated, lively flesh coloured, bordered with bluish shade.
- 823 *Paoline Lucca*, imbricated, alabaster white; early.
- 218 *Perfection*, imbricated, deep red, banded white.
- 221 *Picta*, pale pink, striped rose, centre pale yellow.
- 229 *Præclara*, pure white, centre sulphur yellow, rose blotched upon several petals, ranunculus-shaped.
- 745 *Princeps Magnus*, very large imbricated, fine rose edged flesh rose.
- 241 *Principessa Bocciochi*, superbly imbricated, red with narrow white band.
- 318 — *Clothilde*, almost double, imbricated, banded with white, and barred with deep red.
- 1081 *Regina Margarita* (*Revelli*) imbricated, white, slightly shaded with carnation red. — 1/9.
- 473 *Reine Marie Henriette* (*L. Van Houtte*), dwarf habit, floriferous; beautiful rose, often spotted with white, imbricated.
- 349 *Roi des Belges*, rosy cherry red, generally broadly flaked white.
- 257 *Roi Léopold*, rose, splashed with white.
- 258 *Rubens*, deep rose, broad white stripes, imbricated.
- 260 *Socci*, imbricated, rose, occasionally transparent and glossy, sometimes self, at times with round white spots, often of a deep red. This variety is known by numerous named and may be seen under as many colours.
- 1090 *Sauveuge*, imbricated, deep red. — 1/9.
- 618 *Somnambula*, tender rose, white banded, imbricated.
- 275 *Triomphe de Wondelghem*, imbricated, rose, central band lighter, occasionally fine carmine, ribboned pink.
- 276 *Trionfo di Lodi*, imbricated, white, speckled and streaked rose.
- 280 *Unica*, pure white, imbricated.
- 281 *Valteveredo*, imbricated, bright rose, often spotted with snow white.
- 1089 *Victor Emmanuel II*.
- 287 *Virgine di Colle Beato*, imbricated, white.
- 1102 *Virginia Marini*, first class variety, imbricated, lively crimson lake. — 1/9.
- 289 *Wilderi*, tender rose, imbricated.
- 575 *Zoraïde Vanz*, pure white, slightly flesh-coloured imbricated and ranunculus shaped, blotched and striped lively carmine rose.

SINGLE AND SEMI-DOUBLE FLOWERING

Our selection, good plants each 1 0
 Purchaser's selection, good plants. " 1 6
 Per dozen in 12 varieties, our selection 10 0 to 12 0

- 1123 *Adelina Patti*, beautiful rose, flamed carmine and white edged.
- 1133 *Alonzar*, Pæony-flowered, red striped white.
- 1137 *Auréole*, Nearly double, flamed carmine edged white.
- 1138 *Bride of Roses*, large poppy-flowered, lively rose.

	Each—s. d.
<i>f</i> Disfenbachia	
483 Carderi	3 6 to 10 6
445 Chelsoni	1 9 " 10 6
746 Fournieri	
<i>See New and Rare plants.</i>	
748 meleagris	
<i>See New and Rare plants.</i>	
407 imperialis	3 6 " 21 0
458 " nobilis	7 6 " 60 0
561 Jenmani	1 9 " 21 0
486 Leopoldi	1 9 " 7 6
562 magnifica	2 6 " 31 6
379 nobilis	1 9
522 memoria Corsi	1 9 " 5 0
747 Rex	8 0
484 splendens	1 9 " 21 0
<i>in 6 var., our choice</i>	10 0
<i>fc</i> Dioscorea	
discolor	1 0
picta	1 0
Senegalensis	1 0
<i>*c</i> Dipladenia	
1 amabilis	2 0
2 amœna	2 0
17 Brearleyana	2 0
19 hybrida	2 0
12 urophylla	2 0
<i>f</i> Dracaena	
66 amabilis	1 6
168 argenteo striata.	
<i>See New and Rare plants.</i>	
150 australis aureo-striata.	
8 0 to 30 0	
67 Baptisii	1 0
4 cannæfolia	1 9
<i>" foliis variegatis.</i>	
<i>See New and Rare plants.</i>	
112 Cantrelli	3 6
97 coccinea (madagascariensis)	4 0
152 indivisa Doucetii.	
<i>See New and Rare plants.</i>	
100 Goldicana	4 0
154 Halseyi	3 6
57 imperialis	2 0
16 Knerkiana	2 6
125 Krausei	1 0
70 latifolia (grandis)	2 0
132 Lindeni	2 0 to 10 6
166 " striata	5 0 " 21 0
162 Lord Wolseley	4 0
157 Mad. Bergman	3 6
136 Mad. Heine	3 6
136 Massangeana (Alettris fragrans Wackeana)	2 0 to 10 6
110 Neocaledonica	1 6 " 21 0
23 Regiæ	2 0
122 Renardiæ	2 6
101 Robinsoniana	1 6
29 terminalis (versicolor)	1 0 to 2 6
167 Sanderiana.	
<i>See New and Rare Plants.</i>	
28 stricta	1 6
116 voluta	2 6
50 Youngii	2 6
<i>Our selection, 12 var.</i>	15 0 to 31 0
<i>"</i> Encholirion (Bromeliaceae)	
77 Saundersii	2 6
<i>*</i> Epiphyllum	
Russelianum Gärtneri	1 6
" Mackoyanum	1 6

	Each—s. d.
<i>*</i> Epiphyllum truncatum var.	1 6
12 fine varieties, standards	12 0
<i>f</i> Epipremnum	
530 mirabile	1 0
<i>"</i> Branthemum	
Moorei	1 0
nigrescens	1 0
Roxburghi	1 0
sanguineum	1 0
sanguinolentum	1 0
tricolor	1 0
tuberculatum	1 0
All the varieties above named have handsome and well marked foliage.	
Eugenia glaziovana	1 9
<i>*</i> Euphorbia jacquiniiflora , orange	1 9
Ferdinanda eminens, a handsome ornamental foliage plant	1 9
Ficus	
3 barbata	1 0
<i>f</i> 8 elastica	1 0
<i>"</i> 26 aureo-variegata	2 0
lanceolata	1 0
25 Moorei	1 1
<i>"</i> 20 Parcelli	1 9
<i>c</i> 23 radicans	0 9
<i>"</i> 21 repens	0 9
<i>f</i> Fittonia	
argyroneura	1 0
Pearcei	1 0
<i>*</i> Franciscea	
magnifica	2 0
laurifolia	2 0
Lindenii	4 0
magnifica	4 0
<i>"</i> Gardenia	
citriodora	2 6
Devoniana	2 0
florida	1 0
Stanleyana	2 6
<i>"</i> Globba	
alba	1 6
coccinea	1 6
<i>"</i> Greyia Sutherlandi	1 6
<i>f</i> Gustavia Lindeni	5 0
Guzmania Devansayana (Bromeliaceae)	2 6 to 5 0
<i>"</i> Hebeclinium	
atrorubens	1 0
ianthinum	1 0
megalophyllum	1 0
<i>*</i> Hedychium Gardnerianum	2 0
Hedysarum gyrans (Telegraph Plant)	1 6
<i>f</i> Heliconia	
angustifolia	2 0
aureo vittata	4 0
aurantiaca	2 0
Bihai	4 0
illustris rubricaulis.	
<i>See New and Rare plants.</i>	
Heterotoma lobelioides	4 0
<i>*f</i> Hexacentris mysorensis	2 6
<i>*</i> Hibiscus	
14 rosea sinensis carmincus perfectus	1 0
25 " " Colleri	1 3
<i>f</i> 11 " " Cooperi (tricolor)	1 0
19 " " cruentus	1 3
20 " " kermesinus	1 3

		Each—s. d.			Each—s. d.
* Hibiscus	30 rosea sinensis <i>Lucien Linden.</i>	1 3	f Maranta	66 Warscewiczii	3 6
	3 " " miniatus plenus	1 3		138 Wiotii	3 6
	15 " " " semi-plenus	1 3		67 zebrina	2 0
	31 " " " subviolaceus	1 3	* Medinilla Curtisii		1 9
	16 " " vivicans	1 3		Javanensis	2 0
f Higginsia	Ghiesbreghti	1 3		magnifica	2 6 to 10 6
	foliis variegatis	2 0		magnifica superba	3 6 to 21 0
	Roezli	1 0		Theysmanni	3 6
			f.l Mikania violacea		1 0
*cl Hoya	16 australis	1 3	* Monochætum sericeum multiflorum		1 0
	2 bella	1 3	fcl Monstera	63 deliciosa (<i>Tornelia fragrans</i> , <i>Philodendron pertusum</i>)	3 6 to 7 6
	22 campanulata	1 3			
	4 carnosa	1 0	f Musa	coccinea	2 6 to 10 6
	14 " variegata	2 0		Ensete, The Abyssinian Ba- nana	2 0 to 21 0
	7 fraternata	2 6		zebrina	7 6
	21 globulosa Higginsii	2 0	" Nephtytis	651 picturata	2 6
* Impatiens	aurantiaca	1 0		*f Nidularium (Bromeliaceæ)	
	flaccida alba	1 0	185 acanthocrater		3 6
	Hawkeri	1 0		225 aureo-striatum	8 0
	<i>Souvenir de Louis de Smet.</i>	1 6		32 agavefolium	2 0
	Sultani	1 0		28 fulgens (<i>Guzmania picta</i>)	2 0
* Inga ferruginea argentea		1 9		35 Meyendorffi	2 0
				134 maculatum	2 0
*cl Ipomea	<i>Lady Briggs</i>	1 9		36 Scheremetieffi	2 0
	Horsfieldi	2 0	f Oplismenus imbecillis fol. var.		0 6
Isolepis gracilis		0 6		Otacanthus cœruleus	1 0
* Ixora	acuminata	1 9	cl Oxera pulchella		1 6
	amboinica	2 0		fcl Paullinia	
	Bandhucca	1 6		argentea	2 6
	Chelsoni	2 0		sorbilis	
	coccinea	1 9		<i>See Offc. plants.</i>	
	collei	1 9	f Pavetta	borbonica picta	4 0
	Pixiana	2 0		indica	1 0
	Duffi	2 0	" Pandanus	<i>Baptistii</i>	8 0
	Javanica	1 9		<i>Pacificus</i>	4 0
	Morsei	1 9		utilis	1 6
	spectabilis	2 0		Veitchii	2 0 to 21 0
	reginæ	2 6			
	Above collection, 1 of each	15 0	*cl Passiflora	3 alata	1 3
				77 Arc-en-ciel	1 3
*cl Jasminum gacillimum		1 6		86 atropurpurea	1 3
				10 Bijou	1 3
f Kæmpferia Gilberti		1 9		11 Bonapartei	1 3
	Leea amabilis	5 0		71 cærulea (<i>hardy</i>)	0 9
* Mackaya bella		1 3		13 cardinalis	1 3
	" Magnolia pumila	4 0		15 cœlestina	1 3
f Maranta				83 Constance Elliott (<i>hardy</i>)	1 0
	32 argyræa	2 6		20 Decaisneana	1 3
	113 arundinacea	1 6		22 edulis	1 9
	168 Bachemiana	2 6		73 filamentosa	1 0
	39 fasciata (<i>Borrussica</i>)	3 6		30 <i>Impératrice Eugénie</i>	1 3
	172 iconifera	6 0		85 " fol. var.	1 6
	42 illustris	4 0		69 Junesii	1 3
	146 Kegeljana	2 6		65 Loudoni	1 3
	152 Kerchoveana	1 0		87 <i>Mad. Bruckhaus</i>	1 6
	136 Lietzei	2 6		39 Neumanii	1 0
	45 Lindeni	3 6		42 princeps	1 3
	114 Makoyana	1 6 to 160 0		88 <i>Professeur Eichler</i>	1 3
	148 Massangeana	1 6		72 quadrangularis aucubæfolia	1 3
	144 medio-picta	2 0 to 10 6		81 racemosa	1 0
	146 musaica	4 0		58 trifasciata	1 3
	137 Oppenheimiana	2 6 to 31 6		84 violacea	1 3
	52 Porteana	2 6			
	53 regalis	4 0			
	56 sanguinea	2 6			
	60 Van den Heckeii	2 6			
	62 Veitchii	4 0 to 10 6			
	64 vittata	4 0			

		Each—s. d.			Each—s. d.
*cl	Passiflora		f	Pteridophyllum zeylanicum	4 0
90	Watsoniana, sweet-scented	2 6		Puya	
	12 distinct sorts.	12 0	47	xanthocalyx (Bromeliaceae)	2 0
	Pavonia		»	Ravenala Madagascariensis, " Travellers Tree ", a most effective foliage-plant	2 6 to 7 6
	intermedia	1 9	*cl	Rhodochiton volubile	1 6
	" <i>kermesina</i>	2 6	f	Rhopala	
	rosea	2 0		aurea	2 0
	Makoyana	1 9		Corcovadensis	4 0
	Wioti	1 9		Vervaeana	4 0
f	Peperomia		»	Roeleia maculata	1 0
2	argyræa	1 0	»	Rudgea macrophylla	4 0
17	Eeckhautei	1 0	»	Ruellia macrantha	1 0
8	Verschaffelti	1 0		Saintpaulia ionantha	1 0
*cl	Petræa volubilis, blue.	1 6	*f	Sanchezia nobilis	1 6
fc	Philodendron		»	Schismatoglottis	
685	bipinnatifidum (Sellowi) 7 6 to 42 0		525	crispata	2 6
487	Carderi	2 6	543	purpurea	2 6
622	Corsinianum	2 6	526	Robelini	2 0 to 84 0
749	Devansayanum.		cl*	Schubertia grandiflora ('graveolens')	2 0
	See New and Rare plan's.		»	Scutellaria Mocciniana	1 0
235	giganteum	2 0	»	Solanum Seaforthianum	1 6
459	gloriosum	2 0 to 5 0	*f	Sonerilla	
559	Mamei	2 6 " 7 6		orientalis	1 6
475	Melinoni (paranaense) 4 0 " 21 0			" punctata	1 9
263	pertusum, see <i>Monstera</i> .			Ch. Van Eeckhaute	2 6
750	robustum.			F. Marchand	2 6
	See New and Rare plants.			longifolia	3 6
523	Schottianum	2 6		Lord Wimborne	3 6
588	Sodiroi	2 6 to 21 0		Mad. D. L. Bloemaert	2 6
623	Wallisi	4 0 " 35 0		Mad. Ferrario	2 6
f	Pholidophyllum (Bromeliaceae).			Mad. Hardy	2 6
38	zonatum	1 9		Mad. Léon Say	5 0
»	Phyllagathis rotundifolia	1 9		Mad. Lemoine	3 6
»	Phyllanthus mimosæfolius	1 0	*f	Sonerilla	
»	Phyllotænum			12 distinct var., our selection. 21 0	
389	Lindenii	2 6 to 21 0		For latest novelties, see New and Rare plants.	
620	" magnificum	5 0 " 42 0	f	Spathiphyllum	
»	Phrynium		28	heliconiæfolium	4 0 to 10 6
	Lubbersii	2 6	495	Ortgiesii	2 0 " 42 0
	latifolium foliis vittatis	2 6	»	Sphærogyne imperialis latifolia	4 0 " 10 6
f	Hong-Kong	2 6 to 21 0		Stenandrum Lindenii	1 0
* Pilea			»	Stenospermum vittatum	2 0
	callitrichoides (Arillery plant)	1 0	cl*	Stephanotis	
	muscosa (microphylla)	1 0		floribunda	1 6
	Pistia stratiotes (aquatic)	1 9		Stevea Brasiliensis	2 6
*f	Pitcairnia (Bromeliaceae)		*f	Strelitzia	
144	corallina	3 6		Nicolai	2 0
91	undulatifolia	2 0		Reginæ	4 0 to 63 0
f	Plectranthus fruticosus	1 0		" humilis	4 0 " 31 6
*f	Plumbago coccinea rosea	1 0	»	Streptocalyx Vallerandi (Bromeliac.)	2 6
f	Poinsettia			Streptocarpus, hybrids in var.	1 6
	pulcherrima	1 0	f	Strobilanthes Dyeriana	1 0
	" fol. var.	2 6	»	Tabernæmontana Camassial.	2 6
	" plenissima	2 0	f	Theophrasta	
	Polymnia grandis	2 0		latifolia (seedlings)	2 6
	Pontederia crassipes, beautiful blue-flowering aquatic for small tanks	1 6		longifolia	2 6
f	Pothos			minor	2 6 to 10 6
296	acaulis	10 6	cl*	Thunbergia	
248	argyræa	1 9		coccinea	4 0
524	aureo-maculata	1 9		grandiflora alba	1 9
494	celatocaulis	1 9		Harrisii (laurifolia)	1 9
686	flexuosa	3 3		mysorensis (Hexacentris)	2 6
251	pentaphylla	1 9	*f	Thyracanthus rutilans	1 0
»	Pourretia (Bromeliaceae)			Tillandsia (Bromeliaceae)	
42	brevifolia	2 0 to 4 0		48 bivittata	2 6
151	dasyliroides	2 0 " 4 0		193 fenestralis	2 0 to 5 0
43	mexicana	2 0 " 3 6			
*f	Psychotria cyanococca	2 0			

	Each—s. d.		Each—s. d.
Tillandsia		f Vriesea (Bromeliaceae)	
27 glaucophylla	2 6	201 amethystina	5 0
122 Legrellei	2 0	97 brachystachys	2 0
114 Lindenii	6 0	196 Duvaliana	4 0
223 " Regeliana	7 6	216 fulgida	5 0
182 " vera true	7 6	192 hieroglyphica	2 6
210 " tricolor (André)	5 0 to 10 6	191 incurvata	3 6 to 5 0
138 musaica	2 6 to 10 6	217 Leodiensis	2 6
207 " major	3 3	153 Malzinei	4 0
126 tessellata	4 0	218 Morreni	4 0
137 Zahni	2 6 to 5 0	54 psittacina	2 0
• Torenia asiatica	1 0	154 " aureo vittata	16 0
• Toxiphlaea spectabilis	2 6	209 " scolaris	4 0
f Tradescantia		12 Bromeliaceae, our selection, suitable for indoor Rockeries and Ferneries for	31 6
aureo-variegata	0 9	• Xanthosoma (Alocasia)	
Mad. Lequesne	0 6	58 albo-violacea	2 0
zibrina argentea	0 6	70 violacea	2 0 to 10 6
• Victoria Regia, aquatic leaves 7 to 8 feet, and their flowers 12 to 15 inches in diameter.		• Zingiber d'Arceyi fol. var.	1 9

GREENHOUSE PLANTS

Those marked *cl* are Climbing plants.

" " *f* " Ornamental or variegated foliage.

" " * " Flowering plants.

	Each—s. d.		Each—s. d.
Abelia floribunda	1 9	f Aspidistra	
* Abutilon		lurida	1 6 to 5 0
12 Abutilon, our selection	6 0	<i>f</i> " fol. var.	2 6 " 7 6
" Acacia.		One of the hardiest plants for room decoration.	
All the Acacias are winter- flowering greenhouse shrubs.		<i>f</i> Astelia Banksii	1 0
12 distinct varieties	15 0	<i>f</i> Bambusa Simonii	1 6
Agapanthus		Benthamia fragifera	1 0
6 distinct varieties	8 0	* Berberidopsis corallina	1 9
f Agnostus		Brilliant scarlet flowering greenhouse shrub from Chile.	
sinuatus (<i>Stenocarpus Cunning-</i> <i>hamii</i>)	2 6	Berberis (Ba bary)	
" integrifolius	2 6	Darwinii	0 9
<i>cl</i> Ampelopsis		Jamesoni	0 9
sempervirens	0 9	macrophylla	0 9
<i>f</i> striata	0 9	<i>cl</i> * Bignonia capreolata orange.	1 9
* Andromeda japonica	1 6	* Boronia	
Anigostanthus coccineus	1 0	elator	2 0
* Anthemis, see Artemisia.		heterophylla	2 6
" Aotus gracillima	1 0	megastigma	2 6
" Aponogeton distachyon (The Cape Pondweed)	1 6	polygalæfolia	1 0
f Aralia		viminea major	1 3
quinquefolia	1 9	" Bouvardia	
Sieboldii	1 0	12 Bouvardia in 12 sorts our selection	9 0
" foliis albo-marginatis	2 0	" Brachysema acuminata	1 0
trifoliata	1 6	" Brugmansia	
spathulata	4 0	arborea alba (<i>Datura</i>)	1 6
" Araucaria		sanguinea	2 6
Bidwilli	2 6	* Cantua	
excelsa	2 6 to 50 0	bicolor	1 6
" glauca	5 0 " 42 0	* <i>cl</i> dependens	1 6
" robusta (<i>J. Nap. Baumann</i>)	10 6 to 63 0	" Ghoisya ternata	1 6
* Artemisia l'Etoile d'Or	0 6	Beautiful white sweet scented, fine for forcing in winter.	

	Each - s. d.		Each - s. d.
* <i>Choryzema</i>		* <i>Eriostemon</i> 6 distinct varieties	14 0
<i>macrophylla</i>	1 9	" <i>Erythrina crista galli</i>	1 0
" <i>splendens</i>	1 9	<i>Escallonia macrantha</i>	1 0
<i>rotundifolia</i>	1 9	<i>Eucalyptus globulus</i> , <i>Blue Gum</i>	1 0
<i>Cinamomum</i>		<i>Eugenia</i>	
<i>See Offic. plants.</i>		<i>apiculata</i>	1 6
<i>Citrus</i>		<i>Ugni</i>	1 6
<i>f aurantiacum foliis variegatis</i>	2 6	" <i>foliis variegatis</i>	2 6
" <i>sweet orange</i>	1 6 to 10 6	<i>f Eulalia</i>	
Nice plants covered with fruit.		<i>gracillima univittata</i>	1 9
<i>myrtifolia</i>	2 6	<i>japonica foliis albo lineatis</i>	1 0
<i>Taitensis (Tahiti-Orange)</i>	1 6	" <i>zebrina</i>	1 9
<i>triptera</i>	1 9	Above are very graceful and	
* <i>Clematis</i>		ornamental grasses.	
<i>coccinea</i> , brilliant scarlet	1 6	* <i>Eupatorium odoratissimum</i>	1 0
<i>indivisa lobata</i>	1 6	<i>f Eurya latifolia foliis aureo marginatis</i>	1 6
<i>f Clethra</i>		* <i>Eutaxia myrtifolia</i>	1 6
<i>arborea</i>	1 0	<i>f Fitz-Roya patagonica</i>	2 0
" <i>fol. var. standards</i> 2 0 to 21 0		" <i>Gnaphalium lanatum</i>	0 6
* <i>Clanthus</i>		<i>Grevillea</i>	
<i>puniceus</i>	1 0	<i>alpestris</i>	1 0
<i>cl* Cobæa</i>		* <i>Drummondii</i>	1 6
<i>scandens</i>	0 6	" <i>Manglesii</i>	1 0
" <i>fol. variegatis</i>	1 6	" <i>Preissii</i>	2 6
<i>f Coprosma</i>		<i>f robusta</i>	1 6
<i>Baueriana fol. albo-marginatis</i>	1 0	* <i>rosmarinifolia</i>	2 0
<i>Stokii</i>	1 0	<i>cl* Hardenbergia</i>	
* <i>Correa</i>		<i>macrophylla</i>	1 9
<i>cardinalis</i>	1 6	<i>monophylla foliis variegatis</i>	1 9
<i>magnifica</i>	1 9	<i>ovata</i>	1 0
<i>ventricosa</i>	2 0	<i>f Hibbertia volubilis foliis purpureis</i>	2 0
<i>Corynocarpus</i>		* <i>Illicium</i>	
<i>latifolia</i>	1 9	<i>anisatum</i>	2 0
<i>f " aureo marginata</i>	3 6	<i>floridanum</i>	2 0
<i>Cosbæa coccinea</i>	2 0	<i>religiosum</i>	2 0
* <i>Crassula coccinea</i>	0 9	" <i>Iochroma</i>	
" <i>Cuphea platycentra</i>	0 6	<i>coccinea</i>	1 0
" <i>Cytisus</i>		<i>purpurea</i>	1 0
<i>Attleyanus</i>	1 0	<i>tubulosa</i>	1 0
<i>racemosus</i>	1 0	<i>Warscewiczii</i>	1 0
" <i>elegans</i>	1 0	<i>cl* Jasminum</i>	
* <i>Daphne intus rubra</i>	1 9	<i>grandiflorum</i>	1 0
<i>f Dasylium longifolium</i>	2 6	" <i>flore pleno</i>	1 9
* <i>Delairea odorata</i>	0 6	<i>odoratissimum</i>	1 9
<i>f Desfontainea Hookeri</i>	1 9	<i>Poiteau</i>	1 9
" <i>Deyeuxia elegans variegata</i>	2 6	<i>Reevesi (Winter flowering)</i>	0 6
* <i>Dietes bicolor (Moræa)</i>	1 9	* <i>Jovellana punctata (Calceolaria violacea)</i>	1 9
" <i>Diosma</i>		<i>f Juncus zebrinus</i>	1 6
<i>alba</i>	1 0	* <i>Kadsura japonica</i> , a pretty and quaint-flowering Japanese shrub	1 9
<i>ciliata</i>	1 0	<i>cl* Kennedy</i>	
<i>Eckloniana</i>	1 0	<i>bimaculata</i>	1 9
<i>fragrans</i>	1 0	" <i>longiracemosa</i>	2 0
<i>purpurea</i>	1 6	<i>nigricans</i>	1 0
<i>f Dracæna</i>		<i>ovata</i>	1 0
<i>australis au. eo-striata</i>	7 6 to 25 0	<i>rubicunda major</i>	1 9
<i>Bruanti</i>	1 6	<i>Kleinia</i>	
<i>congesta</i>	0 6	<i>ficoides</i>	0 6
" <i>rubra</i>	1 0	<i>repens</i>	0 6
<i>Draco</i>	1 9	<i>spinulosa</i>	0 6
<i>indivisa</i>	0 9	<i>cl* Lapageria</i>	
" <i>Doucetti</i> .		<i>alba (true stock)</i>	7 6 to 42 0
<i>See New and Rare Plants.</i>		<i>rosca</i>	5 9
" <i>lineata (true)</i>	1 6 to 8 0	" <i>superba</i>	7 6 to 42 0
" <i>Veitchii</i>	0 9 " 10 0	* <i>Leptospermum bullatum</i>	2 0
<i>rubra</i>	0 9	" <i>Libertia Schlachterii (Iridæac)</i>	1 0
* <i>Epacris in bud</i>	2 6	" <i>Libonia floribunda</i>	0 9
12 good varieties	21 0		
" <i>Erica in bud</i>	2 6		
12 good varieties	21 0		

		Each—s. d.			Each—s. d.
f	<i>Ligularia Kämpferi</i> foliis aureo var., most suitable for room de- coration	1 0	f	<i>Primula obconica</i>	0 6
»	<i>Ligustrum</i>		»	<i>Prostanthera nivea</i>	1 0
	f <i>japonicum</i> foliis aureo var.	0 9	»	<i>Pultenæa flava</i>	1 9
	» <i>macrophyllum</i> aureum, <i>new</i>	2 6	»	<i>Punica</i>	
	» <i>lineare</i>	1 6		» <i>granatum</i>	1 9
	f <i>lucidum</i> foliis argenteo-mar- ginatis	0 9		» <i>flore albo pleno</i>	1 9
	f » <i>aureo-variegatis</i>	0 9		» <i>flore rubro pleno</i>	1 9
*	<i>Lithospermum fruticosum</i>	0 9		» <i>Legrellei flore pleno</i>	1 9
f	<i>Lomatia silaifolia</i>	2 0	f	<i>Quercus glabra</i> , a <i>japanese green-</i> <i>house Oak</i>	
*	<i>Magnolia</i>		cl*	<i>Rynchospermum</i>	
	» <i>fuscata, sweet scented</i>	2 0		» <i>jasminoides</i>	1 6
	» <i>grandiflora</i>	1 6		» <i>foliis albo-variegatis</i>	1 6
	» <i>Galissonnière</i>	4 0 to 20 0		» <i>aureo-variegatis</i>	1 6
	» <i>Oxonienensis</i>	4 0		<i>Rœzlia regia</i>	1 9
cl	<i>Medeola asparagoides</i>	0 6	f	<i>Rhodea</i>	
*	<i>Metrosideros</i>			» <i>japonica</i>	1 0
	» <i>angustifolia flore albo</i>	1 9		» <i>foliis albo-variegatis</i>	1 9
	» <i>robusta</i>	2 0	»	<i>Rubus</i>	
	» <i>rubrifolia</i>	2 0		» <i>australis</i>	1 0
	» <i>semper floreus</i>	1 6		» <i>rosæflorus plenus, double white</i>	1 0
	» <i>superba</i>	1 6	cl	<i>Ruscus androgynus</i>	1 0
*	<i>Mitraria coccinea</i>	1 9	f	<i>Saxifraga</i>	
f	<i>Monnina obtusifolia</i>	1 0		» <i>sarmentosa</i>	0 9
*	<i>Myrtus</i> (<i>Myrtle</i>)			» <i>» splendida, new</i>	0 9
	» <i>bullata</i>	1 6	»	<i>Scutellaria Mocciniana</i>	1 0
	» <i>microphylla</i>	1 6	f	<i>Sedum carneum foliis variegatis</i>	0 6
	» <i>communis flore pleno</i>	1 6		<i>Skimmia</i>	
	» <i>Franklini</i>	1 6		» <i>japonica</i>	1 0
*	<i>Nerium 12 varieties, our selection</i>	15 0		» <i>fœmina</i>	1 0
»	<i>Nertera depressa</i>	1 0		» <i>mascula</i>	1 0
f	<i>Ophiopogon</i>			» <i>oblata</i>	1 0
	» <i>Jaburan foliis argenteo varieg.</i>	1 6		» <i>rubella</i>	1 6
	» <i>aureo marginatis</i>	1 6		» <i>Veitchii</i>	1 9
	<i>Oreopanax dactylifolium (Aralia)</i>	3 6		<i>Solanum</i>	
*	<i>Oxalis</i>			» <i>fol. var.</i>	1 0
	» <i>arborea lutea</i>	1 0		» <i>Seafortianum</i>	1 0
	» <i>Ortgiesi</i>	1 0	*	<i>Sparmannia</i>	
cl*	<i>Passiflora</i>			» <i>africana, white</i>	1 6
	» <i>cœrulea</i>	1 0		» <i>flore pleno</i>	1 6
	» <i>Constance Elliott</i>	1 0		<i>Stauntonia</i>	
	» <i>racemosa</i>	1 0		» <i>hexaphylla</i>	1 9
f	<i>Phormium</i>			» <i>latifolia</i>	1 9
	» <i>Colensoi foliis argenteo-mar-</i> <i>ginatis</i>	1 6 to 10 6		<i>Stenotaphrum glabrum fol. var.</i>	1 0
	» <i>Cooki (fol. aur.-var.)</i>	1 6 » 5 0		<i>Swainsonia galegifolia</i>	1 3
	» <i>tenax (New-Zealand Flax)</i>			» <i>alba</i>	1 3
	» <i>See Office plants.</i>		cl*	<i>Tasconia</i>	
	» <i>atropurpureum</i>	1 6 to 5 0		» <i>exoniensis</i>	1 9
	» <i>» fol. var.</i>	2 0 » 63 0		» <i>Jamesonii</i>	1 9
	» <i>foliis variegatis</i>	3 6 » 15 0		» <i>Parritæ (Lemoine)</i>	1 9
	» <i>versicolor</i>	12 6 » 21 0		» <i>Van Volxemi</i>	1 9
	» <i>Veitchi</i>	2 0 » 10 6	cl*	<i>Tecoma</i>	
»	<i>Phygellus capensis</i>	0 6		» <i>australis</i>	1 0
»	<i>Phylla capensis</i>	1 6		» <i>capensis</i>	1 0
»	<i>Pimelea</i>			» <i>jasminoides</i>	1 0
	» <i>decussata</i>	1 0		» <i>rosea</i>	1 9
	» <i>ligustrina</i>	1 9		» <i>Smithii</i>	1 9
»	<i>Pittosporum sinense foliis variegatis</i>	2 0	cl	<i>Testudinaria elephantipes (Tamus)</i> , a most curious and interesting plant	15 0
»	<i>Pleroma elegans</i> , handsome foliage with large purplish blue flow- ers	2 0	*	<i>Thea Japonica foliis argenteo-mar-</i> <i>ginatis</i>	2 9
	f <i>macranthum (Lasiandra)</i>	1 0		» <i>Thibaudia microphylla</i>	1 0 to 4 0
	» <i>floribundum</i>	1 6		» <i>Torreya Bogotensis</i>	1 9
	<i>Polygala</i>			» <i>Tropeolum majus plenissimum</i>	0 6
	» <i>Dalmaisia</i>	1 6		<i>Vaccinium</i>	
	» <i>acuminata</i>	1 9		» <i>serpens</i>	1 9
				» <i>Sprengeli</i>	1 0
			*	<i>Veronica, In 12 finest varieties</i>	4 0

* **Viburnum** Each -s. d.
tinus (*Laurus tinus*). 1 0 to 5 0
• prices for specimen plants
on application.

		Each—s. d.
* Viburnum		
	tinus foliis variegatis . . .	2 0
cl Vitis oblonga.		1 0

ORCHIDS

Those marked c require stove temperature.

" " *t* " intermediate temperature.

" " *f* " cool greenhouse temperature.

12	Orchids greenhouse varieties,	district	30	0	to	63	0
25	"	" " " " " " "	63	0	"	126	0
12	"	stove varieties	42	0	"	63	0
25	"	" " " " " " "	84	0	"	168	0

		Each	s.	d.
f	Ada aurantiaca		7	6
c	Aerides			
	affine (multifl.)		5	0
	Fieldingi (<i>Foa</i> brush)	4	0	to 7 6
	Lindleyanum		4	0
	Lobbi	7	6	to 15 0
	maculosum		4	0
	roseum	7	6	to 21 0
c	Angræcum (Aeranthus)			
	Leonis		10	6
	Sanderianum		12	6
	Scottianum		10	6
	sesquipedale	15	0	to 63 0
	superbum		10	6
t	Anguloa			
	Clowesii		6	0
	Ruckeri	10	6	to 15 0
f	Arpophyllum gigantum	7	6	" 21 0
c	Batemannia Burtii		3	6
	Bletia Domingensis		7	6
	Brassavola glauca		10	6
	Burlingtonia (<i>Rodriguezia</i>)			
	fragrans (<i>venusta</i>)	3	6	to 5 0
	pubescens	5	0	" 7 6
c	Calanthe			
	luteo-oculata		4	0
	Regnieri		7	6
	Sanderiana		7	6
	Veitchii		4	0
	veratrifolia		10	6
	vestita	3	6	and 5 0
p	Cattleya			
	bulbosa (<i>see Walkeriana</i>)			
f	citrina	3	6	to 5 0
t	crispa (<i>Lælia</i>)	7	6	" 15 0
	" dolosa		15	0
	" gigas (<i>Warszewiczii</i>)	10	6	to 21 0
	" grandis (<i>Lælia</i>)		15	0
	" granulosa		15	0
	" guttata Leopoldi	7	6	to 21 0
	" labiata	3	6, 5	0 " 15 0
	" " autumnalis (<i>Warocqueana</i>)	5	0, 7	6 " 21 0
	" Luddemaniana (<i>speciosissima</i>)		7	6 " 15 0
	" marginata, <i>see Lælia m.</i>			
	" Mendelii	7	6	" 21 0

		Each - s.	d.
c	Cattleya		
	» Mossiæ	7 6 »	21 0
	» Percivaliana	7 6 »	21 0
	» Perrinni (<i>Lælia</i>)	4 0 »	21 0
	» purpurata (<i>Lælia</i>)	7 6 »	21 0
	» Sanderiana	21 0 »	42 0
	» Schroederi	10 6 »	15 0
	» Skinneri		10 6
	» Trianæ	4 0 »	21 0
	» Walkeriana (<i>bulbosa</i>)		4 0
	» Warocqueana, <i>see C. labiata autumnalis</i> .		
	» Warscewiczii, <i>see C. gigas</i> .		
t	Chysis		
	aurea		7 6
	bractescens		7 6
	lævis		7 6
	maculata		7 6
»	Cœlogyne		
	cristata	3 6 5 0 to	21 0
	» citrina(<i>Lemoïniana</i>)	7 6 »	21 0
	Dayana		12 6
	flaccida		7 6
	maculata		7 6
	Massangeana	7 6 to	21 0
	Reichenbachiana	10 6 »	21 0
»	Cymbidium (<i>Coryanthes</i>)		
	eburneum	4 0 »	7 6
	Lowianum	7 6 »	42 0
	c Mastersii		7 6
»	Cypripedium		
	ænanthum		21 0
	» superbum		25 0
	Albanense		7 6
	amandum		15 0
	Amesianum	7 6 to	21 0
	Argus	4 0 »	10 6
	Arthurianum	21 0 »	42 0
	Ashburtoniæ	4 0 »	7 6
	barbatum	3 6 »	10 6
	Barteti		15 0
	bellatulum	4 0 and	7 6
f	Boxalli	4 0 »	7 6
»	» atratum		12 6
t	calurum	5 0 to	21 0
c	cardinale	7 6 »	31 6
	Caricinum, <i>see C. Pearcei</i> .		

	Each—s. d.
t Cypripedium	
c caudatum, <i>see C. Selenipedium</i> .	
	12 6 to 21 0
t Dauthieri	7 6 " 15 0
c Dominianum	5 0 " 10 6
Elliotianum, <i>see C. Rochildianum</i> .	
t expansum	15 0
Exul	5 0 to 15 0
" gemmiferum	7 6
Godefroyæ	12 6
" grande	7 6 to 15 0
f Harrisianum	4 0 " 10 6
" M ^{rs} Canham	10 6
t Hartwegi	7 6
c Haynaldianum	7 6 " 15 0
t hirsutissimum	7 6 to 12 0
Hookeri	7 6
f insigne	2 6 " 7 6
insigne albo-marginatum	7 6
Chantini (<i>violaceum punctatum</i>)	7 6 to 10 6
Cockianum	21 0
Sylhetense	7 6
c lævigatum (<i>philippinense</i>)	7 6
t Lawrenceanum	4 0
" Leeanum	7 6
" superbum	15 0
Lindenii	7 6 to 15 0
" longifolium (<i>Selenipedium</i>)	4 0 to 31 6
c Lowii	7 6 " 21 0
t nitens superbum	15 0 " 21 0
" pardinum	4 0
Pearcei (<i>caricinum</i>)	4 0
philippinense, <i>see C. lævigatum</i> .	
Reichenbachianum	7 6
c Roebelini (<i>lævigatum</i>)	4 0 to 21 0
t Roëzli (<i>Selenipedium</i> , <i>see C. longifol. Hartwegii</i>)	7 6
c Rothschildianum (<i>Elliotianum</i>)	7 6 to 21 0
t Schroëderi	7 6 " 15 0
" Sedeni superbum	10 6 and 15 0
c selligerum	7 6 " 10 6
majus	15 0
" Spicerianum	7 6
t stenophyllum	4 0
c superbians (<i>Veitchi</i>)	15 0
t supercilare	7 6 to 10 6
" Swanianum	7 6 " 15 0
" Thibautianum	15 0
" tonsum	21 0
f venustum	3 6 to 21 0
Veitchi, <i>see D. superbians</i> .	
" villosum	5 0 " 21 0
Dendrobium	
c aggregatum	4 0 " 7 6
albo sanguineum	4 0
anosmum	7 6
Aphrodite, <i>see D. nodatum</i> .	
t Brymerianum	7 6 to 63 0
" Cambridgeanum (<i>ochreatum</i>)	5 0
" chrysotoxum	4 0
" crassinode	10 6
" cretaceum	4 0
" Dearei	7 6 to 10 6
" Densiflorum	4 0
" Devonianum	4 0
" eburneum (<i>tracones</i>)	4 0 to 7 6

	Each—s. d.
Dendrobium	
t Falconeri	7 6 " 10 6
Farmeri	7 6
" fimbriatum	7 6 to 10 6
" formosum giganteum	4 0 " 7 6
Loddigessi, <i>see D. pulchellum</i> .	
f nobile	3 6, 5 0 to 15 0
t " Backhouseanum	7 6
c nodatum (<i>Ap rodiae</i>)	7 6
ochreatum, <i>see D. Cambridgeanum</i> .	
" Parishii	4 0 to 15 0
" Phalænopsis Schreëderi	7 6 " 15 0
" Pierardi	4 0
" primulinum	7 6
" pulchellum (<i>Loddigessi</i>)	12 6
" speciosum	7 6 to 10 6
c thyrsoflorum	7 6
" Veitchianum	7 6 to 15 0
f Disa	
grandiflora	10 6
Langleyensis	10 6
t Epidendron	
bifidum	7 6
cyclotellum	7 6
elegans	15 0
nemorale majus (<i>verrucosum majus</i>)	15 0
verrucosum majus, <i>see E nemorale majus</i> .	
vitellinum majus	5 0 to 10 6
Grammatophyllum Measuresianum	20 0
t Houletia Brocklehurstiana	7 6 to 15 0
Lælia	
f albida	4 0 to 7 6
" anceps	4 0 to 7 6
" alba	21 0 " 31 6
" autumnalis	7 6 " 10 6
" citrina (<i>Cattleya</i>)	3 6 to 5 0
t crispa (<i>Cattleya</i>)	7 6 " 15 0
" crispilabia (<i>Lavenciana</i>)	5 0
" Dayana	3 6 to 5 0
" Lawrenceana, <i>s. L. crispilabia</i> .	
" marginata, <i>see L. Pinelli (pumila)</i> .	
" Perrinii (<i>Cattleya</i>)	4 0 to 15 0
" Pinelli (<i>pumila</i>) <i>Cattleya marginata</i>	4 0 to 7 6
" præstans, <i>see L. Pinelli</i> .	
" purpurata (<i>Cattleya</i>)	5 0, 7 6 to 21 0
c Liparis elegantissima	5 0
t Lycaste	
aromatica (<i>Macalluria</i>)	4 0 to 7 6
balsamea	7 6
Deppei	4 0 to 7 6
macrophylla	21 0
Skinneri	3 6 to 7 6
" alba	63 0 " 84 0
f Masdevallia	
t <i>Backhouseana</i> , <i>see M. Chi-maera</i> Backh.	
t bella	4 0 to 21 0
f Benedicti (<i>psittacina</i> <i>Houtteana</i>)	4 0 to 15 0
" Bruchmülleri	4 0
" caudata, (<i>Shuttleworthii</i>)	4 0 to 10 6
" candida, <i>see M. Tovarensis</i> .	

		Each s. d.		Each s. d.
<i>Dicentra</i>			<i>Gesneria</i>	
763	<i>candida</i> . . . Per dozen	1 6	414	<i>Leopoldi albo-rosea</i> (L. V. H.) . . . 2 6
	Ashgrey with a pale blue reflex.			Cream colour, rosy shaded, throat lilac deep carme striped.
737	<i>Warscewiczii</i> . White.		438	— <i>rosea-lilacina</i> (") 2 6
	Per dozen	1 6		Freeflowering, compact ha- bit, beautiful rose.
<i>Diastema</i>			1445	— <i>gigantea</i> (") 4 0
2220	<i>Picta</i> . . . 3 rhizomes :	1 6		Handsome variety with enor- mous flowers, of a brilliant red, throat incarnate with beautiful carmine markings.
<i>Dircæa</i>	<i>hybrids mixed</i>	0 6	114	<i>Mielzei</i> , bluish violet, very distinct. 4 0
	Per dozen	4 0	1156	<i>rosea Rœsi</i> , beautiful rose ("). 2 6
<i>Dolichodeira</i>			<i>Kollikeria</i>	
97	<i>tubiflora</i>	0 3		<i>argyrostigma</i> , 3 rhizomes . . . 0 9
	Per dozen	2 0		Pretty white, marbled foliage, flowers white set off with purple.
<i>Gesneria</i>				
90	<i>Donkelaari</i>	4 0		
	The most marvellous and free flowering of all the <i>Gesnerias</i> , of the richest color, flower large, of a lively carmine, throat ye low.			
355	<i>Leopoldi albo-carminea</i> (L. V. H.)	1 3		
	White, with a deep carmine ribbon over each division of the perianth.			

NÆGELIA

1	variety, purchaser's selection	each	0 10
12	varieties, " "	"	1 6
12	" our selection	"	6 0
	Superb mixture	per dozen	3 6

NÆGELIA, novelties . . . each 2 6

		Each s. d.		Each s. d.
<i>Nægelio-Achimenes</i> , 2 varieties,			<i>Rosanowia</i> (<i>Biglandularia</i>)	1 0
per dozen.	3 0		10 varieties.	8 0
<i>Niphæa</i> <i>oblongata</i> , white	"	5 0 0 8	<i>Scheeria</i> , 6 rhizomes	1 0
<i>Plectopoma</i> , 3 varieties	"	2 0	18 " in 3 var.	2 6

TYDÆA

1	variety, purchaser's selection	1 3
12	varieties, " "	12 6
12	" our selection	10 6
	Varieties in fine mixture	per dozen. 3 6

For BEGONIAS and GLOXINIAS, see Front-page.

AMARYLLIS

The culture of the Amaryllis has been for a number of years, and still continues to be one of the leading features of this Establishment; from year to year, no efforts are made to bring to greating perfection this beautiful tribe of plants.

We are now offering strong bulbs of our newest varieties, which, for general beauty, are not to be surpassed, if equalled. — Awarded GOLD MEDALS and FIRST PRIZES at the International Exhibitions Antwerp, Ghent, Brussels, Liège, Lille, etc. The Assortments here offered are in choice varieties.

Fine mixed flowering bulbs having not yet flowered.

The six : 8 0. — The twelve : 15 0. — The twenty five : 28 0.

Finest named hybrids, our selection :

3 6, 5 0, 7 6 to 42 0 each — Per dozen : 36 0, 48 0, 63 0, etc.

AMARYLLIDS

GREENHOUSE VARIETIES

For other var., see Miscellaneous, Bulbous and Tuberous-rooted Plants, p. 25

	Each—s. d.		Each—s. d.
Amaryllis		Eurycles Cunninghami	2 6
<i>procera</i> , rare, magnificent		Gastronema	
purple	15 0	3188 <i>sanguinea</i>	3 6
2565 <i>reticulata</i>	2 6	Griffinia	
3736 <i>robusta</i> (<i>Tettaui</i>)	1 8	1839 <i>hyacinthina</i>	5 0
3765 <i>vittata</i> , type, strong	1 8	Lovely blue flowers.	
<i>hippeastrum</i> , see AMARYLLIS.		Hæmanthus	
Clivia , see <i>Imantophyllum</i> .		3726 <i>Kalbreyeri</i>	3 6 to 7 6
Coburgia		The finest of all varieties.	
3812 <i>hybrida</i>	2 6	Hymenocallis adnata princeps	2 6
Crinum		Imantophyllum , fine plants (seedlings)	1 6
2975 <i>asiaticum</i>	4 0	EXHIBITION VARIETIES, named	2 6 to 20 0
3594 <i>augustum</i>	8 0		
3610 <i>calcuttense</i>	1 0	Pancratium	
Doryanthus		<i>illyricum</i>	1 3
2557 <i>Palmeri</i> , strong.	C 0	<i>maritimum</i>	1 0
Eucharis		<i>speciosum</i>	1 0
2559 <i>amazonica</i>	1 6	Vallota	
strong plants	3 6 to 21 0	<i>purpurea</i> (<i>Amaryllis</i>)	1 0
3793 <i>Mastersii</i>	2 6	major	2 6
Eurycles			
3724 <i>Australasica</i>	2 6		

CANNA

including CROZY'S DWARF NOVELTIES.

The great improvements made of recent years renders this plant one of the most valuable and effective for greenhouse and subtropical bedding. The flowers vary from the most intense crimson to shades of salmon rose down to the clearest yellow. They equally bloom in great profusion throughout the winter under glass.

12 distinct varieties named	5 0
12 " " (new and sorts).	8 0
6 " " (novelties).	8 0
Latest novelties each :	4 0

For names, see our Cat. n° 270 (French edition).

CARNATIONS

SHOW and FANCY, CLOVES and TREE CARNATIONS

We possess a very extensive collection of the above, including all the newest and most recommendable varieties, most of which have at the various shows received « Awards of Merit » or Floral Certificates from the Carnation Societies.

Collections are made up to suit Amateurs at the following prices.

SHOW VARIETIES, Named.

Per dozen in 12 distinct varieties our selection 6 0

FANCY-VARIETIES, Named.

Per dozen in 12 distinct varieties our selection 6 0

MIXED VARIETIES

of Show, Fancy, Picotees, Malmaisons, etc.

4 0 per dozen — 30 0 per 100.

FOUR VERY FINE MALMAISONS.

1907	Souvenir de la Malmaison	0 6 each — 5 0 per dozen.
	Mad. la Comtesse Oswald de Kerchove	1 0 " — 10 6 " "
1908	Mad. Pynaert.	0 9 " — 8 0 " "
1109	Mad. Warroqué	0 9 " — 8 0 " "

CHRYSANTHEMUMS

Our collection comprises some 200 varieties, all of which are of first class merit, for those not reaching this standard are yearly rejected. We have obtained 3 GOLD MEDALS and FIRST PRIZES at the INTERNATIONAL EXHIBITIONS held in Ghent, besides SEVERAL FIRST PRIZES at other leading SHOWS EXHIBITIONS.

GENERAL COLLECTION

0 6 each — 4 0 per dozen.

NOVELTIES. 1 8 each.

For names of varieties please refer to our Catalogue n° 268 (french edition).

DAHLIAS

for GENERAL COLLECTION see Cat. N° 261 L and N° 264 O.

POMPONS, SHOW AND FANCY, CACTUS AND SINGLE VARIETIES

including all the *newest* and *latest* novelties.

Show and fancy varieties

GENERAL COLLECTION

Plants tho be had beginning of May. Pot-roots from now to the end of March.

In finest named varieties. — 5 0 per dozen.

Pompon-Dahlias

GENERAL COLLECTION

In finest named varieties. 5 0 per dozen.

Cactus-Dahlias

GENERAL COLLECTION

In finest named varieties 5 0 per dozen.

Single-flowering Dahlias

GENERAL COLLECTION

In finest named varieties 5 0 per dozen.

For names of varieties see, our CATALOGUE Nr 270 (french edition).

FUCHSIAS

GENERAL COLLECTION

Purchaser's selection.	Each	0 9	per dozen	6 0
Our selection	"	0 6	"	4 0

FUCHSIA TRIPHYLLA (SPECIES).

0 6 Each. — 5 0 per dozen.

GERANIUM ZONALS

SINGLE

Our collections of ZONAL GERANIUMS, *singles* as well as *doubles*, are the finest ever brought together. Awarded GOLD MEDALS and FIRST PRIZES at the Principal International Shows.

0 6 each — 4/0 per dozen (Purchaser's selection .

NEWER SORTS 1/0 each — NOVELTIES 2/0 each.

DOUBLE VARIETIES

0 6 each — 4 0 per dozen (Purchaser's selection).

NEWER SORTS 1/0 each — NOVELTIES 2/0 each.

For names of varieties, please refer to CATALOGUE No 270 (French edition).

For novelties " " " " " " " " " " " " " " " "

PETUNIA LARGE FLOWERING DOUBLE

GENERAL COLLECTION

Our selection of the best kinds including blotched, fringed and variegated varieties, each : 0/6 — 5/0 per dozen.

Pentstemon

Fine named varieties per dozen 3 6

SALVIA

Producing a mass of bloom of extraordinary brilliancy, suitable for open air culture during the summer months, and a most useful acquisition to the conservatory in the winter.

In 8 distinct named varieties 0/6 each — 4/0 per dozen.

TREE PÆONIES

(PÆONIA MOUTAN)

Tree Pæonies in 12 fine varieties our selection : 30/.

ROSES

Hybrid perpetuals

First class plants and choice varieties. — All inferior ones being discarded every year.

	Each—s. d.
Standards , purchaser's selection.	1 0
" our choice	0 10
Half-Standards , purchaser's selection	0 10
" our choice	0 8
Dwarfs , purchaser's selection.	0 6
" our choice. per dozen	3 6 0 4

Bourbon Roses (*Rosa borboniana*)

Dwarfs, each : 0/8.

China Roses (*Rosa indica semperflorens*)

Each : 0/4. — Per dozen : 3/0.

Noisette Roses

(*ROSA INDICA NOISETTIANA* — *ROSA PANICULATA*)

Dwarfs. each : 0/6.
Standards and Half-Standards, our selection, each : 1/0.

Tea scented Roses (*Rosa indica fragrans*)

Dwarfs, each : 0/6. — Per dozen : 5 0. — Standards and Half-Standards, each : 1/0.
Dwarfs, on own Roots, each : 0/8. — Per dozen : 6/.

Hybrid tea scented

Dwarfs, each : 0/6 — Standards and Half-Standards : 1/0.

This new series is derived from a crossing between Hybrid Perpetuals and Tea scented Roses. They are hardy and perpetual flowering.

Moss Roses

(*ROSA CENTIFOLIA MUSCOSA FLORE PLENO*)

Dwarfs, each : 0/8.

Yellow Rose or Austrian briar

Dwarfs, each : 0/9.

Multiflora Roses (*Rosa multiflora*)

CLIMBING, FLOWERING IN CLUSTERS

Dwarfs, each : 0/9.

Hungarian slender Roses

These are fine growers and quite hardy. They will be very useful for training on walls out of doors, and they will also make fine Pillar and Weeping Roses.

Each : 0/10.

MEDLARS

With large fruit, *pyramids*, each 9^d

NECTARINES

Maiden Trees, one year, very strong each 9^d.
Espaliers, one year, very strong each 1/.

PEACHES

Fine Maiden Trees, one year, very strong each . . . 9^d.
Espaliers two years, very strong. " 1/. — 2/6.
Standards " . . . 1/9.

PEARS**Grafted on the PEAR STOCK.**

The PEAR STOCK only is really well suited for light, sandy or dry soils, and none other lives so long, especially on good deep soil.

	Each—s. d.
<i>Maiden Trees</i> , one year	0 6
<i>Standards</i> , strong.	1 9
<i>Pyramids</i> , 2 years	0 9
" 3 to 4 years	1 3
<i>Espaliers</i> , 1 and 2 rows	1 3
" 2 and 3 rows, on standards	2 6 to 3 6

Grafted on the QUINCE.

It is a well known fact the QUINCE, which flourishes best in strong or loamy soil, speedily perishes in a light sandy one, unless it is kept continually damp.

	Each—s. d.
<i>Maiden Trees</i> , one year	0 6

The *Maiden Trees* are the most suitable for horizontal cordons as edgings, and single cordons for exposed trellises. The immense advantage of this latter way of planting cannot be too highly estimated; as for productiveness and facility of culture it is unequalled.

<i>Pyramids</i> , 2 years	0 9
" 3 years	1 3
<i>Espaliers</i> , 2 rows, the best varieties, our selection	1 3

PLUMS

<i>Maiden Trees</i> , one year, strong	each 0 6
<i>Standards</i> , strong, our selection.	" 1 9
<i>Pyramids</i> , 2 years	" 0 9
<i>Espaliers</i> ,	" 1 3

QUINCES

Dwarfs. each 9^d.

RASPBERRIES

Each : 3^d. — The dozen : 2/0. — Per 100 : 12/0.

STRAWBERRIES

The dozen 9^d — Per 100 4 0

« LOUIS GAUTHIER » Novelty of great merit, possesses all the good qualities necessary to render it the most valuable market-variety.

Each : 1/8. — Per dozen : 16 0.

VINES

BEST VARIETIES FOR GREENHOUSE & OPEN AIR CULTURE

Strong plants in large pots — 36 each.

WALNUTS

Standards. each 18.

Asparagus — First choice

Large white of Ghent, three year old plants per 100 3 0

“ “ of Argenteuil improved, three year old plants. 5 0

“ “ Connover's Colossal, three year old plants 5 0

CHRYSANTHEMUMS

Our collection comprises some 200 varieties of first class merit, all inferior ones being yearly discarded. Awarded Gold Medals and First Prizes at the International Exhibitions in Ghent and other leading Shows and Exhibitions.

For names and descriptions see our Catalogue No 268.

Large flowered double incurved varieties

Each : 6^d. — 12 varieties, our selection : 4/0.

Japanese double flowering varieties

Each variety : 6^d. — 12 varieties, our selection : 4/0.

Chrysanthemums, early and large flowering

Each : 6^d. — 12 varieties, our selection : 4/0.

DELPHINIUM

12 fine varieties, our selection 4 0

12 “ “ mixed. 2 6

CARNATIONS

DIANTHUS CARYOPHYLLUS

	Each	Doz.	
	s. d.	s. d.	
7 Germania, the finest of all yellows. Awards at all leading shows	0	8	

	Each	Doz.	
	s. d.	s. d.	
81 Ne plus ultra, pure white imbricated, of perfect shape	0	6 4 0	

		Each	Doz.			Each	Doz.		
		s. d.	s. d.			s. d.	s. d.		
1109	Mad. Waroqué , magnificent varieties rich crimson and large flowering . .	0	6	4	0	1112	Ladas , clear yellow, distinct scarlet centre	1	8
1908	Mad. Pynaert , carmine rose, very rich and beautiful .	0	9	8	0	1113	Miss Ellen Terry , large, pure white, fine for cutting, extra. I class cert; N.C.S. 1893. Award of Merit, R. II. S. 1891	1	8
1907	Souvenir de la Malmaison , flowers nearly 3 inch diameter, tender flesh .	0	6	4	0	1114	Burn Pink (syn. The Duchess of Fife and The Burn), magnificent tendre rose; one of the finest border varieties	0	10
1111	Uriah Pike deep red, very floriferous, one of the most useful varieties for winterblooming	0	9	8	0				

SHOW AND FLEMISH CARNATIONS

Each	0	9
12 named varieties	7	6
25 " "	15	0

FANCY CARNATIONS

Without names, remarkable for the brightness of their colors.

Each : 0 4. — Per dozen : 3/6.

HARDY FERNS

Hardy Ferns are too well known to need any description; used generally in the arrangement of Rockwork, as also in a cut state from most valuable and effective in the arrangement of floral decorations.

12 good sorts, our selection : 4/. — 25 good sorts, our selection : 8/.

For names of varieties, please consult our Cat. No 263N.

HARDY ORNAMENTAL GRASSES, ETC.

12 fine varieties, our choice : 4/.

	Each - s. d.		Each - s. d.
Acorus (<i>Calamus</i>)		Festuca	
53 japonicus foliis aureo margin.	0 3	467 glauca, an excellent grass for edging, with fine glaucous-leaves	0 6
per dozen.	2 0		
An aquatic for open ground, leaves 3 feet long, striped yellow.		Gynerium (<i>Pampas-Grass</i>)	
		546 argenteum	0 6 to 2 0
		per dozen.	4 0 to 25 0
Arundo		548 » carmineum Rendatleri . .	1 9
143 Conspicua	0 10	Plumes measuring more than 2 feet in length, of a bright carmine rose.	
Bambusa in 6 var.	1 9	554 » violaceum fol. aureo lineatis	1 9
Dactylis		Phalaris	
355 glomerata foliis albo variegatis	0 3	922 arundinacea foliis var. . . .	0 3
Erianthus		per dozen.	2 0
436 Ravennæ	0 3		
Eulalia		Stipa	
460 gracillima univittata	0 9	1209 pennata, Feather Grass . . .	0 6
457 japonica	0 6	per dozen.	4 0
458 » foliis albo lineatis	1 0	Uniola	
459 zebrina	1 3	1278 latifolia	0 6

HERBACEOUS PÆONIES

Our collection consists of some 50 distinct good varieties, the names and descriptions of which will be found in our **GENERAL CATALOGUE N° 268** (french edition), wich may be had free on demand. . .

Named varieties, our choice, each : 0 9. — Per dozen : 6 0.

- 893 **PÆONIA tenuifolia**, species, type, very ornamental for its deeply cut foliage, flowers single, blood red 0 9
- 891 **PÆONIA tenuifolia flore pleno**, a magnificent variety of the preceding, very elegant; flowers double, blood red. One of the finest hardy herbaceous plants 1 9

PHLOX DECUSSATA

CHOICE VARIETIES OF VERY DISTINCT COLORS

Each variety : 5^d. — 12 varieties, our selection : 4/. — 25 varieties, our selection : 8/.

Mixed, fine varieties without names, per dozen : 3/6.

POTENTILLA

12 fine varieties, named our selection. 6 0

Double varieties, mixed without names; per dozen 4 0

HARDY PRIMROSES

Primula	Each	-s.d.	Primula	Each	s. d.
2780	acaulis amarantina plena	. . . 0 9			
2782	» Broussi flore plena	. . . 0 9			
2787	» sulphurea	0 6			
	» cortusoides, finest mixed varieties	per dozen 4 0 0 6			
			veris. <i>Splendid single flowered Primroses</i> , mixed, of the finest strain . .	per dozen.	1 9

AURICULA

2798 **P. Auricula** finest stage varieties, per dozen 2 0

PYRETHRUM

Our collection comprises a number of varieties, which we reawarded 1st class certificates by the R. H. S.

Each variety : 6^d. — 12 fine varieties our selection : 5/.

SAXIFRAGA

Plants exceedingly useful for rockwork.

12 distinct varieties, our selection : 2/6.

SEDUM

12 distinct varieties, our selection : 2/6.

SEMPERVIVUM

12 distinct varieties, our selection 2/6.

	Each s. d.	Doz. s. d.		Each s. d.	Doz. s. d.
Helleborus			Rhodea		
mixed, good varieties		3 6	crinita	4 0	
Hemerocallis in variety	0 6	4 0	japonica	1 0	8 0
aurantiaca major I class			Scabiosa		
cert., brilliant orange		1 8	caucasica	0 9	
Hepatica (<i>Anemone</i>)			Senecio		
trilobā rubra	0 6	4 0	macrophyllus	0 9	
» » flore pleno	0 6	4 0	pulcher	0 6	4 0
Heterotropa asaroides	1 9		Spigelia		
Heuchera in 6 var.	0 4	2 6	marylandica, cherry red.	1 9	
Hoteia			Spiræa		
japonica compacta	0 6	4 0	astilboides	0 6	4 0
» <i>foliis variegatis</i>	1 0	8 0	compacta, <i>see Hoteia</i> .		
Lathyrus (<i>Everlasting, Sweet-Pea</i>)			» flore pleno	0 6	
latifolius, rose	0 6	4 0	<i>Japonica, see Hoteia.</i>		
» albus	0 6	4 0	macrophylla	0 6	
Liatris pycnostachya	1 0		<i>palinata (lobata)</i>	0 6	4 0
Ligularia Kämpferi fol. albo-var.	1 9		Most beautiful red.		
Lobelia			» <i>alba</i> , white	0 9	8 0
<i>cardinalis Queen Vic-</i>			» <i>elegans</i> , white	0 6	5 0
<i>toria</i> , deep crimson	0 6	4 0	trifoliata	0 9	
<i>syphillica</i> , blue	0 6	4 0	Stative in 6 varieties, blue	0 6	4 0
Morina			Stokesia cyanea	0 6	4 0
longifolia, white	0 9		Thalictrum glaucum	0 6	
Omphalodes			Thermopsis caroliniana	0 6	4 0
verna flore albo	1 3		Tricyrtis flore nigro	0 6	4 0
Ophiopogon			Flowers almost black, marbled with white.		
» foliis argenteo mar-			Tritoma (Redhotpoker)		
ginatis	0 9		<i>Mac Ouant</i> , orange	1 6	
» » aureo-marg.	1 0		One of the best Tritoma-		
Phlox, Rock varieties	0 6	4 0	mas.		
Phormium tenax	0 9 to	1 9	<i>ucaria grandiflora</i>	0 9	6 0
New-Zealand Flax.			Tussilago Farfara foliis variegatis	0 9	
Plumbago Larpentæ	0 9		Yellow.		
Podophyllum			Uvularia grandiflora , yellow	0 6	4 0
Emodi	0 9		Veronica in variety	0 6	4 0
peltatum	0 6		Vinca in variety	0 6	4 0
Ramondia			Yucca		
† pyrenaica, fine lilac	1 3		recurvata pendula	1 0	8 0
			stenophylla	1 0	
			Zauschneria californica , bright scarlet	0 6	4 0

NEW AND RARE TREES AND SHRUBS

	Each—s. d.		Each—s. d.
Acer		Alnus	
campestris fol. macul.	2 6	5415 glutinosa aurea	2 6
Weeping maple, with hand-		incana pendula	2 6
some foliage.		» fol. aur. var.	8 6
dasyacarpum pendulum	1 8	Betula alba aurea, grafted in pots	1 9
Very effective.		Beautiful golden yellow fo-	
» Souvenir de Louis Van Houtte,		liage.	
standards	2 6	Carpinus Betulus fol. albo marmoratis,	
Remarkable for its beautiful		<i>grafted in pots</i>	1 9
yellow variegated foliage.		Novelty, with beautiful white	
negundo fol. aur. mar. elegans		and green marbled leaves.	
half-standards	1 8	Castanea vesca fol. aur. var.	2 6
dwarfs	0 10	Catalpa	
pseudo-platanus fol. purpureis,		syringæfolia foliis purpureis,	
Prince Handjery	1 8	1 and 2 years grafts	2 6
Lower surface of foliage pur-		Handsome purple foliage;	
ple upper surface rose along		without doubt one the finest	
the yellow markings, which		trees ever raised.	
passes into brick red, marbled		japonica, 1 and 2 years grafts	2 6
white and green towards the		Large golden yellow foliage.	
autumn.			

		Each—s. d.			Each—s. d.
Cerasus	Padus aurea. Ornamental cherry with. Deep golden yellow foliage	1 0	Lonicera	semperflorens	0 9
Cornus	mascula aur. elegantiss.	2 6	Magnolia	Louis Van Houtte	8 0
	sanguinea fol. aur. marg.	1 0		Novelty. Large crimson.	
Corylus	avellana aurea	1 0	Malus	communis pendula, Elisa Rathke	2 6
	Golden yellow leaved Hazel.			Ornamental Apple of drooping habit.	
Cratægus	oxyacantha semperflorens, half stand.	1 9	Platanus	occidentalis Suttneri	2 6
	Very ornamental.			A new Plain of handsome foliage.	
Cydonia	Simonii	2 0	Quercus	palustris pendula	2 6
	Large double, deep red.			Weeping Oak, with regular lacinated striking foliage.	
Deutzia	crenata parviflora, in pots	1 9		pedunculata, Souvenir de Frans Van der Bom.	2 6
	gracilis aurea, in pots	1 9	Robinia	pseudacacia Neo-Mexicana, half-standards	6 6
	Novelty with golden yellow foliage, very showy.			New Acacia with deep golden foliage, clusters of lilac rose flowers.	
Elæagnus	reflexa fol. aur. pictis.	1 9	Salix	Babylonica rumulis aureis	1 8
Euonymus	radicans, Silver Gem., in pots.	0 10	Sambucus	nigra glauca	1 8
	Splendid novelty.			plumosus aurea	4 6
Fagus	sylvatica purpurea fol. roseo-marg., in pots.	1 9		A splendid novelty with handsome golden yellow foliage.	
	pyramids	3 6	Sorbus	aucuparia aurea, dwarfs and pyramids	0 10 to 1 8
	Purple leaves, bordered rose.			First class novelty with handsome golden yellow foliage.	
	rotundifolia minor, in pots.	1 9	Spiræa	Brumalda, Anthony Waterer	2 6
	Novelty, with small roundish foliage, very pretty.		Syringa	japonica, dwarfs and half-standards	0 10 and 1 8
Fraxinus	pubescens fol. argenteo-marg. half-standards	1 9		White, enormous bunches.	
Genista	scoparia Andreana.	1 9	Tilia	platyphylla fol. albo marginatis	3 6
	Beautiful orange yellow, with a distinct maroon blotch on the lip, fine for forcing.		Ulmus	campestris aurea, Louis Van Houtte	1 9 to 3 6
Hydrangea	japonica, Mad. von Siebold. . . .	1 0		Beautiful yellow foliage, variegated green along the centre.	
	fol. aur. marg.	2 6	Viburnum	opulus sterile fol. aur.-var.	1 3
	stellata fimbriata	1 0		Variegated Snowball.	
	Splendid novelty, pure white		Weigelia	amabilis, Eva Rathke.	2 6
Hypericum	Moserianum.	1 0		Large, wine red.	
Jasminum	Reevesi fol. aur. var.	6 6		versicolor fol. arg.-marginatis.	0 10
	Handsome foliage, very effective.			Foliage white bordered and slightly tinged rose.	
Ligustrum	pekinense pendulum	1 9			
	Honey scented white blossoms.				
Liriodendron	tulipifera aureum	3 3			
	The Tulip-Tree with large, golden yellow foliage.				

SOME USEFUL SHRUBS FOR FORCING

	Each.	p. doz.
ANDROMEDA japonica	1 0	10 6
AZALEA indica, mollis and Ghent var., see Azaleas.		
CAMELLIAS , see Camellias.		
CHOISYA ternata , very sweet scented cream colour	1 6	18 0
DEUTZIA gracilis , very useful in winter	0 6	5 0
DIELYTRA spectabilis (drooping heart)	0 6	3 6
HELLEBORUS, niger, Christmas Rose	0 6	4 0
HEPATICAS , single and double red	0 6	4 0
HYDRANGEAS in varieties	0 6	4 0
PRUNUS, double Cherry , white and red	0 9	7 6
" triloba , fine for forcing	0 9	7 6
RHODODENDRON , see Rhododendron.		
STAPHYLEA colchica , handsome, sweet scented	1 3	12 0
SYRINGA Lilacs , single in varieties	1 3	12 0
" double-flowering , sweet scented	2 0	21 0
VIBURNUM opulus (Snowball) , excellent	0 6	4 0

WISTARIAS

STRONG PLANTS FROM OPEN GROUND

		Each - s. d.			Each—s. d.
Wistaria			Wistaria		
9027	frutescens.	1 3	9023	frutescens alba.	1 3
9022	" (<i>Glycine</i>) <i>sinenis</i> , strong.	1 3		White.	
	extra strong.	2 6	9025	" flore pleno.	1 3
	A weeping <i>Glycine</i> from			Long drooping trusses of	
	China with drooping trusses of			perfectly double, dark blue	
	violet blue flowers.			flowers.	

For general Collection of our Ornamental Shrubs and Trees, please consult our autumn Catalogue n° 263 N.

✎ It is respectfully requested NAME AND ADDRESS BE LEGIBLY WRITTEN AND IN FULL.

All orders are, on receipt, acknowledged except where immediate dispatch of same can be carried out.

All orders should be sent as early as possible and thus insure PROMPT attention. — To avoid UNNECESSARY DELAY, the order should be WRITTEN APART, on Order Sheet enclosed, mentioning the LINE OF RAIL and the NEAREST STATION the goods should be sent to.

✎ From Great Britain and Ireland, the Letter Postage to Belgium si 2 1/2^a per half an ounce, and one Penny Postal-Cards may be sent.

INDEX

	Pages.		Pages.		Pages.
Amaryllis	11, 59	Ferns	57, 67	Orchids	50
Amaryllids	60	Forcing-plants	71	" hardy	23
Anemones.	11	Fritillaria.	13	Pæonies-Tree	62, 68
Aquatics	69	Fruit trees	64	Palms and Cycads	54
Asparagus.	66	Fuchsias	62	Peat plants	41
Auricula	68	Geranium	62	Pentstemon	62
Azalea, hardy.	31	Gladiolus	14	Petunias	62
" mollis	33	Grasses, ornamental	67	Phlox	68
" indica	34	Greenhouse plants	48	Potentilla	68
Babiana	12	Hyacinths	2	Primroses.	68
Begonia, see in front.		Herbaceous plants.	69	Pyrethrum	68
Blackberries.	72	Hydrangeas	72	Ranunculus	23
Bulbous plants	30	Iris	15	Rhododendron	39
Cacti	58	Ivies	72	Roses	63
Caladium	58	Ixia	18	Roman Hyacinths.	6
Camellias	37	Jonquils	19	Saxifraga, Sedum, etc.	68
Canna	60	Lilacs	72	Snowdrops	24
Carnations	60, 66	Lilium	19	Sparaxis	24
Carnivorous plants.	57	Lily of the Valley	21	Spiræas	72
Chrysanthemum	61, 66	Magnolia	41	Stove plants	42
Clematis	72	Maples, Japanese	72	Trees and Shrubs, rare	70
Colchicum.	13	Miscellaneous bulbs	25	Tritonia	24
Collections of Bulbs	1	Nægelia	59	Tuberoses.	24
Crocus	13	Narcissus	22	Tulips	6
Dahlias.	61	New and Rare plants	41	Tydæa	59
Delphinium	66	Officinal plants	55	Wistaria	73

